

Public Health Outcomes Framework

Middlesbrough

Introduction

The Public Health Outcomes Framework <u>Healthy lives</u>, <u>healthy people: Improving outcomes and supporting transparency</u> sets out a vision for public health, desired outcomes and the indicators that will help us understand how well public health is being improved and protected. The framework concentrates on two high-level outcomes to be achieved across the public health system, and groups further indicators into four 'domains' that cover the full spectrum of public health. The outcomes reflect a focus not only on how long people live, but on how well they live at all stages of life.

This profile currently presents data for the first set of indicators at England and upper tier local authority levels, collated by Public Health England.

The profile allows you to:


- Compare your local authority against other authorities in the region
- · Benchmark your local authority against the England value

Public Health Outcomes Framework baseline data will be revised and corrected in accordance with the <u>general DH statistical</u> <u>policy on revisions and corrections</u>.

Contents

Spine Charts

Spine Charts	
Overarching indicators	Page 2
Wider determinants of health	Page 3
Health improvement	Page 4
Health protection	Page 7
Healthcare and premature mortality	Page 8
Supporting information	Page 10
Tartan Rugs	
Overarching indicators	Page 11
Wider determinants of health	Page 11
Health improvement	Page 14
Health protection	Page 16
Healthcare and premature mortality	Page 18
Supporting information	Page 20
Summary Charts	
Overarching indicators	Page 21
Wider determinants of health	Page 23
Health improvement	Page 29
Health protection	Page 36
Healthcare and premature mortality	Page 39
Supporting information	Page 46
Definitions	
Definitions	Page 47
	Page 47




© Crown Copyright and database rights 2015, Ordnance Survey 100016969

www.phoutcomes.info

Produced by Public Health England.

For enquiries please contact phof.enquiries@phe.gov.uk or call us on 020 7654 8307

Spine Charts



Overarching indicators

	Period	Local value	Eng. value	Eng. worst	Range	Eng. best
0.1i - Healthy life expectancy at birth (Male)	2012 - 14	57.7	63.4	55.0		70.5
0.1i - Healthy life expectancy at birth (Female)	2012 - 14	61.3	64.0	54.4	••	72.2
0.1ii - Life expectancy at birth (Male)	2012 - 14	76.2	79.5	74.7		83.3
0.1ii - Life expectancy at birth (Female)	2012 - 14	79.8	83.2	79.8		86.7
0.1ii - Life expectancy at 65 (Male)	2012 - 14	17.0	18.8	15.9		21.6
0.1ii - Life expectancy at 65 (Female)	2012 - 14	18.9	21.2	18.8		24.6
0.2i - Slope index of inequality in life expectancy at birth based on national deprivation deciles within England (Male)	2012 - 14		9.2			
0.2i - Slope index of inequality in life expectancy at birth based on national deprivation deciles within England (Female)	2012 - 14		7.0			
0.2ii - Number of upper tier local authorities for which the local slope index of inequality in life expectancy (as defined in 0.2iii) has decreased (Male)	2012 - 14		80			
0.2ii - Number of upper tier local authorities for which the local slope index of inequality in life expectancy (as defined in 0.2iii) has decreased (Female)	2012 - 14		67			
Slope index of inequality in life expectancy at birth within English local authorities, based on local deprivation deciles within each area (Male)	2012 - 14	11.7	-	2.5		16.6
Slope index of inequality in life expectancy at birth within English local authorities, based on local deprivation deciles within each area (Female)	2012 - 14	12.0	-	1.8		12.2
0.2iv - Gap in life expectancy at birth between each local authority and England as a whole (Male)	2012 - 14	-3.3	0.0	-4.8		3.8
0.2iv - Gap in life expectancy at birth between each local authority and England as a whole (Female)	2012 - 14	-3.4	0.0	-3.4		3.5
0.2v - Slope index of inequality in healthy life expectancy at birth based on national deprivation deciles within England (Male)	2012 - 14		19.0			
0.2v - Slope index of inequality in healthy life expectancy at birth based on national deprivation deciles within England (Female)	2012 - 14		20.2			
0.2vi - SII in healthy life expectancy based within local authorities, based on deprivation within Middle Super Output Areas (Male)	2009 - 13	21.0	-	24.6		3.8
0.2vi - SII in healthy life expectancy based within local authorities, based on deprivation within Middle Super Output Areas (Female)	2009 - 13	20.0	-	22.1		2.8
0.2vii - Slope index of inequality in life expectancy at birth within English regions, based on regional deprivation deciles within each area (Male)	2012 - 14		-			
0.2vii - Slope index of inequality in life expectancy at birth within English regions, based on regional deprivation deciles within each area (Female)	2012 - 14		-			

E06000002 Middlesbrough
Crown Copyright © 2012-15. Updated 1 November 2016

Wider determinants of health

vvider determinants of nealth						
	Period	Local value	Eng. value	Eng. worst	Range	Eng. best
1.01i - Children in low income families (all dependent children under 20)	2013	31.8	18.0	35.5		5.9
1.01ii - Children in low income families (under 16s)	2013	33.2	18.6	34.4		6.1
1.02i - School Readiness: the percentage of children achieving a good level of development at the end of reception (Persons)	2014/15	57.4	66.3	50.7		77.5
1.02i - School Readiness: the percentage of children achieving a good level of development at the end of reception (Male)	2014/15	49.9	58.6	43.7		72.0
1.02i - School Readiness: the percentage of children achieving a good level of development at the end of reception (Female)	2014/15	65.7	74.3	57.5		84.5
1.02i - School Readiness: the percentage of children with free school meal status achieving a good level of development at the end of reception (Persons)	2014/15	48.3	51.2	37.8	0	70.8
1.02i - School Readiness: the percentage of children with free school meal status achieving a good level of development at the end of reception (Male)	2014/15	38.7	42.6	28.9	0	64.4
School Readiness: the percentage of children with free school meal status achieving a good level of development at the end of reception (Female)	2014/15	58.0	60.3	41.8	0	78.2
1.02ii - School Readiness: the percentage of Year 1 pupils achieving the expected level in the phonics screening check (Persons)	2014/15	71.2	76.8	69.5		86.5
1.02ii - School Readiness: the percentage of Year 1 pupils achieving the expected level in the phonics screening check (Male)	2014/15	66.4	73.0	64.9		84.3
1.02ii - School Readiness: the percentage of Year 1 pupils achieving the expected level in the phonics screening check (Female)	2014/15	76.2	80.8	73.8		89.1
1.02ii - School Readiness: the percentage of Year 1 pupils with free school meal status achieving the expected level in the phonics screening check (Persons)	2014/15	63.0	64.7	51.0	O	78.7
1.02ii - School Readiness: the percentage of Year 1 pupils with free school meal status achieving the expected level in the phonics screening check (Male)	2014/15	57.7	59.5	42.9	0	78.4
1.02ii - School Readiness: the percentage of Year 1 pupils with free school meal status achieving the expected level in the phonics screening check (Female)	2014/15	68.4	70.1	58.1	0	83.2
1.03 - Pupil absence	2014/15	5.79	4.62	5.79		3.44
1.04 - First time entrants to the youth justice system	2015	408	369	822		127
1.05 - 16-18 year olds not in education employment or training	2015	6.4	4.2	7.9		1.5
1.06i - Adults with a learning disability who live in stable and appropriate accommodation (Persons)	2014/15	75.2	73.3	35.1	D	94.4
1.06i - Adults with a learning disability who live in stable and appropriate accommodation (Male)	2014/15	73.3	73.2	32.5	0	100
1.06i - Adults with a learning disability who live in stable and appropriate accommodation (Female)	2014/15	75.6	73.1	7.7	O	100
1.06ii - Percentage of adults in contact with secondary mental health services who live in stable and appropriate accommodation (Persons)	2014/15	72.0	59.7	10.6	• 0	91.6
1.06ii - Percentage of adults in contact with secondary mental health services who live in stable and appropriate accommodation (Male)	2014/15	69.9	58.4	10.4	♦ O	91.0
1.06ii - Percentage of adults in contact with secondary mental health services who live in stable and appropriate accommodation (Female)	2014/15	76.6	61.3	10.8	• 0	94.3
1.07 - People in prison who have a mental illness or a significant mental illness	2013/14		5.55			
1.08i - Gap in the employment rate between those with a long-term health condition and the overall employment rate	2015/16	6.7	8.8	19.0	0	-0.4
1.08ii - Gap in the employment rate between those with a learning disability and the overall employment rate (Persons)	2014/15	57.6	66.9	79.8	0	44.0
1.08ii - Gap in the employment rate between those with a learning disability and the overall employment rate (Male)	2014/15	63.5	71.8	84.8	0	48.2

Wider determinants of health continued	Period	Local value	Eng. value	Eng. worst	Range	Eng.
1.08ii - Gap in the employment rate between those with a learning disability and the overall employment rate (Female)	2014/15	51.7	62.3	75.0	Nullige O	34.1
1.08iii - Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate (Persons)	2014/15	57.2	66.1	77.5	0	54.2
1.08iii - Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate (Male)	2014/15	62.4	72.6	84.4		59.5
1.08iii - Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate (Female)	2014/15	52.7	59.3	71.0	0	47.9
1.08iv - Percentage of people aged 16-64 in employment (Persons)	2015/16	65.1	73.9	60.4		84.3
1.08iv - Percentage of people aged 16-64 in employment (Male)	2015/16	71.5	79.2	64.6		88.7
1.08iv - Percentage of people aged 16-64 in employment (Female)	2015/16	58.9	68.8	53.6		80.0
1.09i - Sickness absence - the percentage of employees who had at least one day off in the previous week	2011 - 13	2.8	2.4	4.3	0	0.6
1.09ii - Sickness absence - the percent of working days lost due to sickness absence	2011 - 13	1.8	1.5	2.8	0	0.3
1.10 - Killed and seriously injured (KSI) casualties on England's roads	2012 - 14	27.8	39.3	76.3		15.5
1.11 - Domestic abuse	2014/15	33.8	20.4	5.5		33.8
1.12i - Violent crime (including sexual violence) - hospital admissions for violence	2012/13 - 14/15	92.7	47.5	143.5		7.5
1.12ii - Violent crime (including sexual violence) - violence offences per 1,000 population	2015/16	28.5	17.2	6.7	•	36.7
1.12iii- Violent crime (including sexual violence) - rate of sexual offences per 1,000 population	2015/16	3.0	1.7	0.9	0	3.5
1.13i - Re-offending levels - percentage of offenders who re-offend	2013	34.6	26.4	18.2		35.5
1.13ii - Re-offending levels - average number of re-offences per offender	2013	1.36	0.82	0.47	• 0	1.36
1.13iii - First time offenders	2015	300.5	242.4	87.1	♦ O	480.1
1.14i - The rate of complaints about noise	2014/15	8.3	7.1	72.9	•	2.2
1.14ii - The percentage of the population exposed to road, rail and air transport noise of 65dB(A) or more, during the daytime	2011	1.1	5.2	20.8		3.0
1.14iii - The percentage of the population exposed to road, rail and air transport noise of 55 dB(A) or more during the night-time	2011	2.4	8.0	42.4	10	1.2
1.15i - Statutory homelessness - Eligible homeless people not in priority need	2015/16	_ *	0.9	8.9		0.1
1.15ii - Statutory homelessness - households in temporary accommodation	2015/16	- *	3.1	35.0		0.0
1.16 - Utilisation of outdoor space for exercise/health reasons	Mar 2014 - Feb 2015	23.5 \$	17.9	7.2		70.3
1.17 - Fuel poverty	2014	14.3	10.6	15.1		5.8
1.18i - Social Isolation: percentage of adult social care users who have as much social contact as they would like	2015/16	52.2	45.4	35.8	• •	55.1
1.18ii - Social Isolation: percentage of adult carers who have as much social contact as they would like	2014/15	40.0	38.5	18.2	0	52.6

Health improvement

	Period	Local value	_	Eng. worst	Range	Eng. best
2.01 - Low birth weight of term babies	2014	3.2	2.9	5.8		1.6
2.02i - Breastfeeding - breastfeeding initiation	2014/15	47.2	74.3	47.2		92.9

Health improvement continued	Period	Local value	Eng. value	Eng. worst	Range	Eng. best
2.02ii - Breastfeeding - breastfeeding prevalence at 6-8 weeks after birth - current method	2015/16	28.7	43.2	18.0		76.5
2.02ii - Breastfeeding - breastfeeding prevalence at 6-8 weeks after birth - historical method	2014/15	- X	43.8	19.1		81.5
2.03 - Smoking status at time of delivery	2015/16	19.8	10.6	26.0		1.8
2.04 - Under 18 conceptions	2014	35.5	22.8	42.4		8.4
2.04 - Under 18 conceptions: conceptions in those aged under 16	2014	8.1	4.4	11.9		0.7
2.05ii - Proportion of children aged 2-2½yrs offered ASQ-3 as part of the Healthy Child Programme or integrated review	2015/16	- x	81.3	19.0	•	100
2.06i - Child excess weight in 4-5 and 10-11 year olds - 4-5 year olds	2014/15	27.1	21.9	27.4		14.9
2.06ii - Child excess weight in 4-5 and 10-11 year olds - 10-11 year olds	2014/15	36.1	33.2	43.2		21.5
2.07i - Hospital admissions caused by unintentional and deliberate injuries in children (aged 0-14 years)	2014/15	186.2	109.6	199.7		61.3
2.07i - Hospital admissions caused by unintentional and deliberate injuries in children (aged 0-4 years)	2014/15	240.0	137.5	292.4		45.0
2.07ii - Hospital admissions caused by unintentional and deliberate injuries in young people (aged 15-24 years)	2014/15	160.5	131.7	287.1		67.1
2.08i - Average difficulties score for all looked after children aged 5-16 who have been in care for at least 12 months on 31st March	2014/15	13.6	13.9	18.0	O	8.7
2.08ii - Percentage of children where there is a cause for concern	2014/15	37.0	37.0	56.0	0	19.0
2.09i - Smoking prevalence at age 15 - current smokers (WAY survey)	2014/15	8.2	8.2	14.9	♦ ♦	3.4
2.09ii - Smoking prevalence at age 15 - regular smokers (WAY survey)	2014/15	6.5	5.5	11.1	0	1.3
2.09iii - Smoking prevalence at age 15 - occasional smokers (WAY survey)	2014/15	1.6	2.7	7.6		0.6
2.09iv - Smoking prevalence at age 15 years - regular smokers (SDD survey)	2014		8			
2.09v - Smoking prevalence at age 15 years - occasional smokers (SDD survey)	2014		5			
2.10ii - Emergency Hospital Admissions for Intentional Self-Harm	2014/15	335.0	191.4	629.9		58.9
2.11i - Proportion of the population meeting the recommended '5-a-day' on a 'usual day' (adults)	2015	42.1	52.3	36.5		62.8
2.11ii - Average number of portions of fruit consumed daily (adults)	2015	2.13	2.51	2.11		2.93
2.11iii - Average number of portions of vegetables consumed daily (adults)	2015	2.07	2.27	1.70		2.60
2.11iv – Proportion of the population meeting the recommended "5-aday" at age 15	2014/15	50.3	52.4	39.9		67.6
2.11v – Average number of portions of fruit consumed daily at age 15 (WAY survey)	2014/15	2.28	2.39	2.01		3.26
2.11vi – Average number of portions of vegetables consumed daily at age 15 (WAY survey)	2014/15	2.22	2.40	1.86		2.92
2.12 - Excess weight in Adults	2013 - 15	68.8	64.8	76.2		46.5
2.13i - Percentage of physically active and inactive adults - active adults	2015	51.3	57.0	44.8		69.8
2.13ii - Percentage of physically active and inactive adults - inactive adults	2015	34.7	28.7	43.7		17.5
2.14 - Smoking Prevalence in adults - current smokers (APS)	2015	20.8	16.9	26.8		9.5
2.14 - Smoking Prevalence in adult in routine and manual occupations - current smokers (APS)	2015	31.1	26.5	36.3		15.8
2.15i - Successful completion of drug treatment - opiate users	2015	5.1	6.7	2.5		17.8
2.15ii - Successful completion of drug treatment - non-opiate users	2015	32.7	37.3	19.0		61.8
2.15iii - Successful completion of alcohol treatment	2015	41.5	38.4	16.8		64.9
2.15iv - Deaths from drug misuse	2013 - 15	9.9	3.9	19.0		1.4

Health improvement continued	Period	Local value	Eng.	Eng. worst	Range	Eng. best
2.16 - Adults with substance misuse treatment need who successfully engage in community-based structured treatment following release from prison	2015/16	40.7	30.3	0.0	0	71.6
2.17 - Recorded diabetes	2014/15	6.2	6.4	3.7		8.9
2.18 - Admission episodes for alcohol-related conditions - narrow definition (Persons)	2014/15	930	641	1223		379
2.18 - Admission episodes for alcohol-related conditions - narrow definition (Male)	2014/15	1217	827	1544		494
2.18 - Admission episodes for alcohol-related conditions - narrow definition (Female)	2014/15	673	474	920		275
2.19 - Cancer diagnosed at early stage (experimental statistics)	2014	55.4	50.7	36.3		59.7
2.20i - Cancer screening coverage - breast cancer	2015	71.3	75.4	56.3		84.5
2.20ii - Cancer screening coverage - cervical cancer	2015	70.6	73.5	56.5		79.6
2.20iii - Cancer screening coverage - bowel cancer	2015	53.9	57.1	37.3		66.0
2.20iv – Abdominal Aortic Aneurysm Screening – Coverage	2014/15	71.6	79.4	59.0		87.3
2.20v – Diabetic eye screening - uptake	2014/15		82.9			
2.20vii - Infectious Diseases in Pregnancy Screening – HIV Coverage	2014/15		98.9			
2.20viii - Infectious Diseases in Pregnancy Screening – Syphilis Coverage	2014		97.4			
2.20ix - Infectious Diseases in Pregnancy Screening – Hepatitis B Coverage	2014		97.4			
2.20x - Sickle Cell and Thalassaemia Screening – Coverage	2014/15		98.9			
2.20xi - Newborn Blood Spot Screening – Coverage	2014/15	98.0	95.8	79.1		99.8
2.20xii Newborn Hearing Screening – Coverage	2014/15	98.1	98.5	93.5		100
2.20xiii - Newborn and Infant Physical Examination Screening – Coverage	2014/15		93.3			
2.22iii - Cumulative percentage of the eligible population aged 40-74 offered an NHS Health Check	2013/14 - 15/16	78.7	56.4	17.0		100
2.22iv - Cumulative percentage of the eligible population aged 40-74 offered an NHS Health Check who received an NHS Health Check	2013/14 - 15/16	41.8	48.6	19.7		100.0
2.22v - Cumulative percentage of the eligible population aged 40-74 who received an NHS Health check	2013/14 - 15/16	32.9	27.4	11.0		55.7
2.23i - Self-reported wellbeing - people with a low satisfaction score	2014/15	5.8	4.8	8.7		2.8
2.23ii - Self-reported wellbeing - people with a low worthwhile score	2014/15	4.2	3.8	8.2		2.4
2.23iii - Self-reported wellbeing - people with a low happiness score	2014/15	12.2	9.0	15.5		5.3
2.23iv - Self-reported wellbeing - people with a high anxiety score	2014/15	22.2	19.4	26.4	0	10.3
2.24i - Injuries due to falls in people aged 65 and over (Persons)	2014/15	2083	2125	3462		1392
2.24i - Injuries due to falls in people aged 65 and over (Male)	2014/15	1757	1740	3046	0	1063
2.24i - Injuries due to falls in people aged 65 and over (Female)	2014/15	2409	2509	3903	O	1626
2.24ii - Injuries due to falls in people aged 65 and over - aged 65-79 (Persons)	2014/15	1069	1012	1923		643
2.24ii - Injuries due to falls in people aged 65 and over - aged 65-79 (Male)	2014/15	945	826	1754	0	437
2.24ii - Injuries due to falls in people aged 65 and over - aged 65-79 (Female)	2014/15	1193	1198	2092	•	753
2.24iii - Injuries due to falls in people aged 65 and over - aged 80+ (Persons)	2014/15	5026	5351	8611	0	3292
2.24iii - Injuries due to falls in people aged 65 and over - aged 80+ (Male)	2014/15	4114	4391	7459		2723
2.24iii - Injuries due to falls in people aged 65 and over - aged 80+ (Female)	2014/15	5938	6312	10519		3726

Health protection

	Period	Local value	Eng. value	Eng. worst	Range	Eng. best
3.01 - Fraction of mortality attributable to particulate air pollution	2014	4.5	5.1	7.8		3.4
3.02 - Chlamydia detection rate (15-24 year olds) < 1900 1900 to 2300 ≥ 2300	2015	1538	1887	1054		5434
3.02 - Chlamydia detection rate (15-24 year olds) (Male)	2015	1159	1276	224	0	4205
3.02 - Chlamydia detection rate (15-24 year olds) (Female)	2015	1954	2492	1414	0)	6586
3.03i - Population vaccination coverage - Hepatitis B (1 year old)	2014/15	100 ^	-	0.0		100
3.03i - Population vaccination coverage - Hepatitis B (2 years old)	2014/15	100 ^	-	0.0		100
3.03iii - Population vaccination coverage - Dtap / IPV / Hib (1 year old) < 90 90 to 95 ≥ 95	2014/15	95.1 ^	94.2	75.1	(D)	98.8
3.03iii - Population vaccination coverage - Dtap / IPV / Hib (2 years old) < 90 90 to 95 ≥ 95	2014/15	95.9 ^	95.7	79.2	Q	99.2
3.03iv - Population vaccination coverage - MenC < 90 90 to 95 ≥ 95	2012/13	93.7	93.9	75.9	O	98.8
3.03v - Population vaccination coverage - PCV < 90 90 to 95 ≥ 95	2014/15	94.8 ^	93.9	78.7	þ	98.6
3.03vi - Population vaccination coverage - Hib / MenC booster (2 years old) < 90 90 to 95 ≥ 95	2014/15	91.9 ^	92.1	72.1	•	98.0
3.03vi - Population vaccination coverage - Hib / Men C booster (5 years old) < 90 90 to 95 ≥ 95	2014/15	94.2 ^	92.4	72.7		97.8
3.03vii - Population vaccination coverage - PCV booster < 90 90 to 95 ≥ 95	2014/15	91.3 ^	92.2	71.0	o •	98.3
3.03viii - Population vaccination coverage - MMR for one dose (2 years old) < 90 90 to 95 ≥ 95	2014/15	91.9 ^	92.3	73.8	O O	98.1
3.03ix - Population vaccination coverage - MMR for one dose (5 years old) < 90 90 to 95 ≥ 95	2014/15	95.6 ^	94.4	75.6	D)	98.6
3.03x - Population vaccination coverage - MMR for two doses (5 years old) < 90 90 to 95 ≥ 95	2014/15	92.3 ^	88.6	64.0	0	97.5
3.03xii - Population vaccination coverage – HPV vaccination coverage for one dose (females 12-13 years old) < 80 80 to 90 ≥ 90	2014/15	93.1	89.4	67.6	10	99.5
3.03xiii - Population vaccination coverage - PPV < 65 65 to 75 ≥ 75	2015/16	72.0	70.1	50.2	•	100
3.03xiv - Population vaccination coverage - Flu (aged 65+) < 75 ≥ 75	2015/16	73.2	71.0	57.4		77.4
3.03xv - Population vaccination coverage - Flu (at risk individuals) < 55 ≥ 55	2015/16	41.7	45.1	28.8	• •	56.5
3.03xvii - Population vaccination coverage - Shingles vaccination coverage (70 years old) < 50 50 to 60 ≥ 60	2014/15	54.0 ^	59.0	24.8	O	68.0
3.03xviii - Population vaccination coverage - Flu (2-4 years old) < 40	2015/16	31.8	34.4	13.4		49.1
3.04 - HIV late diagnosis < 25 25 to 50 ≥ 50	2013 - 15	63.6	40.3	75.0		12.5
3.05i - Treatment completion for TB < 50th-percentile of UTLAs ≥50th to <90th ≥90th	2014	-	84.4	57.1		100
3.05ii - Incidence of TB < 10th-percentile of UTLAs ≥10th to <50th ≥50th	2013 - 15	9.8	12.0	85.6	•	1.2
3.06 - NHS organisations with a board approved sustainable development management plan	2014/15	100	56.5	0.0		100

Healthcare and premature mortality

ricallicate and premature mortality			_	_		_
	Period	Local value	Eng. value	Eng. worst	Range	Eng. best
4.01 - Infant mortality	2013 - 15	4.6	3.9	7.9		2.0
4.02 - Proportion of five year old children free from dental decay	2014/15	61.2	75.2	43.9		85.9
4.03 - Mortality rate from causes considered preventable (Persons)	2013 - 15	275.7	184.5	320.5		130.5
4.03 - Mortality rate from causes considered preventable (Male)	2013 - 15	328.9	232.5	409.4		153.5
4.03 - Mortality rate from causes considered preventable (Female)	2013 - 15	222.4	139.6	239.7		101.1
4.04i - Under 75 mortality rate from all cardiovascular diseases (Persons)	2013 - 15	103.7	74.6	137.6		45.4
4.04i - Under 75 mortality rate from all cardiovascular diseases (Male)	2013 - 15	143.9	104.7	184.9		68.4
4.04i - Under 75 mortality rate from all cardiovascular diseases (Female)	2013 - 15	66.1	46.2	93.2		22.1
4.04ii - Under 75 mortality rate from cardiovascular diseases considered preventable (Persons)	2013 - 15	69.4	48.1	89.5		27.2
4.04ii - Under 75 mortality rate from cardiovascular diseases considered preventable (Male)	2013 - 15	100.0	72.5	132.0		44.6
4.04ii - Under 75 mortality rate from cardiovascular diseases considered preventable (Female)	2013 - 15	40.8	25.0	49.2		13.6
4.05i - Under 75 mortality rate from cancer (Persons)	2013 - 15	173.7	138.8	194.8		105.8
4.05i - Under 75 mortality rate from cancer (Male)	2013 - 15	196.0	154.8	218.7		99.5
4.05i - Under 75 mortality rate from cancer (Female)	2013 - 15	152.4	123.9	172.6		90.0
4.05ii - Under 75 mortality rate from cancer considered preventable (Persons)	2013 - 15	111.0	81.1	129.3		59.6
4.05ii - Under 75 mortality rate from cancer considered preventable (Male)	2013 - 15	116.7	88.4	143.3		63.6
4.05ii - Under 75 mortality rate from cancer considered preventable (Female)	2013 - 15	105.4	74.5	120.5		53.2
4.06i - Under 75 mortality rate from liver disease (Persons)	2013 - 15	30.5	18.0	44.4		10.0
4.06i - Under 75 mortality rate from liver disease (Male)	2013 - 15	44.1	23.7	59.1		12.8
4.06i - Under 75 mortality rate from liver disease (Female)	2013 - 15	17.8	12.5	29.7	0	6.6
4.06ii - Under 75 mortality rate from liver disease considered preventable (Persons)	2013 - 15	27.5	15.9	40.8		9.0
4.06ii - Under 75 mortality rate from liver disease considered preventable (Male)	2013 - 15	39.0	21.4	54.7		11.8
4.06ii - Under 75 mortality rate from liver disease considered preventable (Female)	2013 - 15	16.8	10.6	27.1		5.6
4.07i - Under 75 mortality rate from respiratory disease (Persons)	2013 - 15	57.1	33.1	68.3		16.5
4.07i - Under 75 mortality rate from respiratory disease (Male)	2013 - 15	63.7	38.5	80.2		20.5
4.07i - Under 75 mortality rate from respiratory disease (Female)	2013 - 15	51.3	28.0	60.6		14.3
4.07ii - Under 75 mortality rate from respiratory disease considered preventable (Persons)	2013 - 15	32.5	18.1	45.9		7.5
4.07ii - Under 75 mortality rate from respiratory disease considered preventable (Male)	2013 - 15	33.2	20.3	51.0		8.0
4.07ii - Under 75 mortality rate from respiratory disease considered preventable (Female)	2013 - 15	32.1	16.1	41.7		7.9
4.08 - Mortality rate from a range of specified communicable diseases, including influenza (Persons)	2013 - 15	15.2	10.5	23.7		6.1
4.08 - Mortality rate from a range of specified communicable diseases, including influenza (Male)	2013 - 15	- x	11.5	24.2		6.8
4.08 - Mortality rate from a range of specified communicable diseases, including influenza (Female)	2013 - 15	17.1	9.6	24.2		5.2
4.09i - Excess under 75 mortality rate in adults with serious mental illness	2013/14	523.7	351.8	587.7	0	135.4
4.09ii - Proportion of adults in the population in contact with secondary mental health services	2013/14	6.8	5.3	14.6		2.4

1.10 - Suicide rate (Persons) 2013 - 15 17.4 10.1 17.4 1.10 - Suicide rate (Male) 2013 - 15 27.0 15.8 27.5 1.10 - Suicide rate (Female) 2013 - 15 -x 4.7 8.5 1.11 - Emergency readmissions within 30 days of discharge from 2011/12 13.0 11.8 14.5 1.11 - Emergency readmissions within 30 days of discharge from 2011/12 13.4 12.1 14.9 1.11 - Emergency readmissions within 30 days of discharge from 2011/12 12.7 11.5 14.7 1.11 - Emergency readmissions within 30 days of discharge from 2011/12 12.7 11.5 14.7 1.12 - Emergency readmissions within 30 days of discharge from 2011/12 12.7 11.5 14.7 1.13 - Emergency readmissions within 30 days of discharge from 2011/12 12.7 11.5 14.7 1.15 - Excess winter deaths index (single year, all ages) (Female) 2011/15 5.2 5.2 5.10 1.15 - Excess winter deaths index (single year, age 85+) (Persons) Aug 2014 - Jul 5.7 5.1 1.15 - Excess winter deaths index (single year, age 85+) (Persons) Aug 2014 - Jul 4.9 4.0 5.0 1.15 - Excess winter deaths index (single year, age 85+) (Persons) Aug 2014 - Jul 4.9 4.0 5.0 1.15 - Excess winter deaths index (single year, age 85+) (Persons) Aug 2014 - Jul 4.9 4.0 5.0 1.15 - Excess winter deaths index (single year, age 85+) (Persons) Aug 2014 - Jul 4.9 4.0 5.0 1.15 - Excess winter deaths index (single year, age 85+) (Persons) Aug 2014 - Jul 4.9 4.0 5.0 1.15 - Excess winter deaths index (single year, age 85+) (Persons) Aug 2014 - Jul 4.9 4.0 5.0 1.15 - Excess winter deaths index (single year, age 85+) (Persons) Aug 2014 - Jul 4.9 4.0 5.0 1.15 - Excess winter deaths index (single year, age 85+) (Persons) Aug 2014 - Jul 4.9 4.0 5.0 1.15 - Excess winter deaths index (single year, age 85+) (Persons) Aug 2014 - Jul 4.9 4.0 5.0 1.15 - Excess winter deaths index (single year, age 85+) (Persons) Aug 2014 - Jul 4.9 4.0 5.0 1.1	5.6 8.5 8.7 8.8 8.7 8.3 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0
A.10 - Suicide rate (Male) 2013 - 15 27.0 15.8 27.5 4.10 - Suicide rate (Female) 2013 - 15 -x 4.7 8.5 4.11 - Emergency readmissions within 30 days of discharge from hospital (Persons) 4.11 - Emergency readmissions within 30 days of discharge from hospital (Male) 4.11 - Emergency readmissions within 30 days of discharge from hospital (Male) 4.11 - Emergency readmissions within 30 days of discharge from hospital (Female) 4.12 - Preventable sight loss - age related macular degeneration (2011/12 12.7 11.5 14.7 14.9 14.1	8.5 2.6 8.8 8.7 8.3 23.1 3.6 0.0 6.4 0.788 379 257 445 163
A.11 - Emergency readmissions within 30 days of discharge from hospital (Persons) 11.8 14.5 14.9 13.0 11.8 14.5 14.9 14.11 - Emergency readmissions within 30 days of discharge from hospital (Male) 12.7 11.5 14.7 14.9 14.11 - Emergency readmissions within 30 days of discharge from 2011/12 12.7 11.5 14.7 14.11 - Emergency readmissions within 30 days of discharge from 2011/12 12.7 11.5 14.7 14.7 14.11 - Emergency readmissions within 30 days of discharge from 2011/15 12.7 11.5 14.7 14.11 - Emergency readmissions within 30 days of discharge from 2011/15 12.7 11.5 14.7 14.7 14.11 - Emergency readmissions within 30 days of discharge from 2011/15 12.7 11.5 14.7 14.7 14.11 - Emergency readmissions within 30 days of discharge from 2011/15 12.7 11.5 14.7 14.7 14.11 14.12	8.8 8.7 8.3 23.1 3.6 0.0 6.4 0.788 379 257 445 163
Nospital (Persons)	8.7 8.3 23.1 3.6 0.0 6.4 0.788 379 257 445 163
Nospital (Male)	3.6 0.0 0.0 6.4 0.788 379 257 445
Nospital (Female)	23.1 3.6 0.0 6.4 0.788 379 257 445
A.12ii - Preventable sight loss - glaucoma 2014/15 9.3 12.8 30.3	3.6 0.0 6.4 0.788 379 257 445 163
4.12iii - Preventable sight loss - diabetic eye disease 2014/15 -* 3.2 19.6 4.12ii - Preventable sight loss - sight loss certifications 2014/15 61.1 42.4 99.2 4.13 - Health related quality of life for older people 2013/14 0.692 0.727 0.628 4.14i - Hip fractures in people aged 65 and over (Persons) 2014/15 741 571 743 4.14i - Hip fractures in people aged 65 and over (Male) 2014/15 622 425 673 4.14i - Hip fractures in people aged 65 and over (Female) 2014/15 861 718 977 4.14ii - Hip fractures in people aged 65 and over - aged 65-79 2014/15 321 239 362 (Persons) 4.14ii - Hip fractures in people aged 65 and over - aged 65-79 (Male) 2014/15 33 167 363 4.14ii - Hip fractures in people aged 65 and over - aged 80+ (Persons) 2014/15 409 312 461 (Female) 4.14iii - Hip fractures in people aged 65 and over - aged 80+ (Persons) 2014/15 1960 1535 2036 4.14iii - Hip fractures in people aged 65 and over - aged 80+ (Male) 2014/15 178 1174 1815 4.15ii - E	0.0 6.4 0.788 0.788 0.257 0.445
4.12iv - Preventable sight loss - sight loss certifications 2014/15 61.1 42.4 99.2 4.13 - Health related quality of life for older people 2013/14 0.692 0.727 0.628 4.14i - Hip fractures in people aged 65 and over (Persons) 2014/15 741 571 743 4.14i - Hip fractures in people aged 65 and over (Male) 2014/15 622 425 673 4.14i - Hip fractures in people aged 65 and over (Female) 2014/15 861 718 977 4.14ii - Hip fractures in people aged 65 and over - aged 65-79 2014/15 321 239 362 (Persons) 4.14ii - Hip fractures in people aged 65 and over - aged 65-79 (Male) 2014/15 233 167 363 4.14ii - Hip fractures in people aged 65 and over - aged 85-79 (Male) 2014/15 409 312 461 (Female) 4.14iii - Hip fractures in people aged 65 and over - aged 80+ (Persons) 2014/15 409 312 461 4.14iii - Hip fractures in people aged 65 and over - aged 80+ (Male) 2014/15 1960 1535 2036 4.14iii - Hip fractures in people aged 65 and over - aged 80+ (Female) 2014/15 1748 1174 1815	6.4 0.788 379 257 445 163
4.13 - Health related quality of life for older people 2013/14 0.692 0.727 0.628 4.14i - Hip fractures in people aged 65 and over (Persons) 2014/15 741 571 743 4.14i - Hip fractures in people aged 65 and over (Male) 2014/15 622 425 673 4.14i - Hip fractures in people aged 65 and over (Female) 2014/15 861 718 977 4.14ii - Hip fractures in people aged 65 and over - aged 65-79 2014/15 321 239 362 (Persons) 2014/15 233 167 363 4.14ii - Hip fractures in people aged 65 and over - aged 65-79 (Male) 2014/15 233 167 363 4.14ii - Hip fractures in people aged 65 and over - aged 80+ (Persons) 2014/15 409 312 461 (Female) 4.14ii - Hip fractures in people aged 65 and over - aged 80+ (Persons) 2014/15 1960 1535 2036 4.14iii - Hip fractures in people aged 65 and over - aged 80+ (Male) 2014/15 1748 1174 1815 4.14iii - Hip fractures in people aged 65 and over - aged 80+ (Female) 2014/15 2173 1895 2597 4.15ii - Excess winter deaths index (single year, all ages) (Male) <td>0.788 379 257 445 163</td>	0.788 379 257 445 163
4.14i - Hip fractures in people aged 65 and over (Persons) 2014/15 741 571 743 4.14i - Hip fractures in people aged 65 and over (Male) 2014/15 622 425 673 4.14i - Hip fractures in people aged 65 and over (Female) 2014/15 861 718 977 4.14ii - Hip fractures in people aged 65 and over - aged 65-79 2014/15 321 239 362 (Persons) 4.14ii - Hip fractures in people aged 65 and over - aged 65-79 (Male) 2014/15 233 167 363 4.14ii - Hip fractures in people aged 65 and over - aged 65-79 2014/15 409 312 461 (Female) 4.14iii - Hip fractures in people aged 65 and over - aged 80+ (Persons) 2014/15 1960 1535 2036 4.14iii - Hip fractures in people aged 65 and over - aged 80+ (Male) 2014/15 1748 1174 1815 4.14iii - Hip fractures in people aged 65 and over - aged 80+ (Female) 2014/15 1748 1174 1815 4.14iii - Hip fractures in people aged 65 and over - aged 80+ (Female) 2014/15 2173 1895 2597 4.15i - Excess winter deaths index (single year, all ages) (Male) Aug 2014 - Jul 201 9.1 23.6 51.0 <td>257 257 445 163</td>	257 257 445 163
4.14i - Hip fractures in people aged 65 and over (Male) 2014/15 622 425 673 4.14i - Hip fractures in people aged 65 and over (Female) 2014/15 861 718 977 4.14ii - Hip fractures in people aged 65 and over - aged 65-79 2014/15 321 239 362 (Persons) 4.14ii - Hip fractures in people aged 65 and over - aged 65-79 (Male) 2014/15 233 167 363 4.14ii - Hip fractures in people aged 65 and over - aged 65-79 2014/15 409 312 461 (Female) 4.14ii - Hip fractures in people aged 65 and over - aged 80+ (Persons) 2014/15 1960 1535 2036 4.14iii - Hip fractures in people aged 65 and over - aged 80+ (Male) 2014/15 1748 1174 1815 4.14iii - Hip fractures in people aged 65 and over - aged 80+ (Female) 2014/15 1748 1174 1815 4.15ii - Excess winter deaths index (single year, all ages) (Persons) Aug 2014 - Jul 18.7 27.7 50.7 4.15i - Excess winter deaths index (single year, all ages) (Female) Aug 2014 - Jul 9.1 23.6 51.0 4.15i - Excess winter deaths index (single year, age 85+) (Persons) Aug 2014 - Jul 49.2 40.1 </td <td>257 445 163</td>	257 445 163
4.14i - Hip fractures in people aged 65 and over (Female) 2014/15 861 718 977 4.14ii - Hip fractures in people aged 65 and over - aged 65-79 2014/15 321 239 362 (Persons) 4.14ii - Hip fractures in people aged 65 and over - aged 65-79 (Male) 2014/15 233 167 363 4.14ii - Hip fractures in people aged 65 and over - aged 65-79 2014/15 409 312 461 (Female) 4.14iii - Hip fractures in people aged 65 and over - aged 80+ (Persons) 2014/15 1960 1535 2036 4.14iii - Hip fractures in people aged 65 and over - aged 80+ (Male) 2014/15 1748 1174 1815 4.14iii - Hip fractures in people aged 65 and over - aged 80+ (Female) 2014/15 173 1895 2597 4.15ii - Excess winter deaths index (single year, all ages) (Persons) Aug 2014 - Jul 2014 18.7 27.7 50.7 4.15i - Excess winter deaths index (single year, all ages) (Female) Aug 2014 - Jul 27.6 31.6 62.6 4.15ii - Excess winter deaths index (single year, age 85+) (Persons) Aug 2014 - Jul 49.2 40.1 72.6	163
4.14ii - Hip fractures in people aged 65 and over - aged 65-79 2014/15 321 239 362 (Persons) 4.14ii - Hip fractures in people aged 65 and over - aged 65-79 (Male) 2014/15 233 167 363 4.14ii - Hip fractures in people aged 65 and over - aged 65-79 2014/15 409 312 461 (Female) 4.14iii - Hip fractures in people aged 65 and over - aged 80+ (Persons) 2014/15 1960 1535 2036 4.14iii - Hip fractures in people aged 65 and over - aged 80+ (Male) 2014/15 1748 1174 1815 4.14iii - Hip fractures in people aged 65 and over - aged 80+ (Female) 2014/15 2173 1895 2597 4.15i - Excess winter deaths index (single year, all ages) (Persons) Aug 2014 - Jul 2015 18.7 27.7 50.7 4.15i - Excess winter deaths index (single year, all ages) (Male) Aug 2014 - Jul 2015 27.6 31.6 62.6 4.15ii - Excess winter deaths index (single year, all ages) (Female) Aug 2014 - Jul 2015 27.6 31.6 62.6 4.15ii - Excess winter deaths index (single year, age 85+) (Persons) Aug 2014 - Jul 49.2 40.1 72.6	163
(Persons) 4.14ii - Hip fractures in people aged 65 and over - aged 65-79 (Male) 2014/15 233 167 363 4.14ii - Hip fractures in people aged 65 and over - aged 65-79 2014/15 409 312 461 (Female) 4.14iii - Hip fractures in people aged 65 and over - aged 80+ (Persons) 2014/15 1960 1535 2036 4.14iii - Hip fractures in people aged 65 and over - aged 80+ (Male) 2014/15 1748 1174 1815 4.14iii - Hip fractures in people aged 65 and over - aged 80+ (Female) 2014/15 2173 1895 2597 4.15i - Excess winter deaths index (single year, all ages) (Persons) Aug 2014 - Jul 2015 18.7 27.7 50.7 4.15i - Excess winter deaths index (single year, all ages) (Male) Aug 2014 - Jul 2015 9.1 23.6 51.0 4.15i - Excess winter deaths index (single year, all ages) (Female) Aug 2014 - Jul 27.6 31.6 62.6 4.15ii - Excess winter deaths index (single year, age 85+) (Persons) Aug 2014 - Jul 49.2 40.1 72.6	
4.14ii - Hip fractures in people aged 65 and over - aged 65-79 2014/15 409 312 461 (Female) 4.14iii - Hip fractures in people aged 65 and over - aged 80+ (Persons) 2014/15 1960 1535 2036 4.14iii - Hip fractures in people aged 65 and over - aged 80+ (Male) 2014/15 1748 1174 1815 4.14iii - Hip fractures in people aged 65 and over - aged 80+ (Female) 2014/15 2173 1895 2597 4.15i - Excess winter deaths index (single year, all ages) (Persons) Aug 2014 - Jul 2015 18.7 27.7 50.7 4.15i - Excess winter deaths index (single year, all ages) (Male) Aug 2014 - Jul 2015 9.1 23.6 51.0 4.15i - Excess winter deaths index (single year, all ages) (Female) Aug 2014 - Jul 27.6 31.6 62.6 4.15ii - Excess winter deaths index (single year, age 85+) (Persons) Aug 2014 - Jul 49.2 40.1 72.6	0.4
(Female) 4.14iii - Hip fractures in people aged 65 and over - aged 80+ (Persons) 2014/15 1960 1535 2036 4.14iii - Hip fractures in people aged 65 and over - aged 80+ (Male) 2014/15 1748 1174 1815 4.14iii - Hip fractures in people aged 65 and over - aged 80+ (Female) 2014/15 2173 1895 2597 4.15i - Excess winter deaths index (single year, all ages) (Persons) Aug 2014 - Jul 2015 18.7 27.7 50.7 4.15i - Excess winter deaths index (single year, all ages) (Male) Aug 2014 - Jul 2015 9.1 23.6 51.0 4.15i - Excess winter deaths index (single year, all ages) (Female) Aug 2014 - Jul 27.6 31.6 62.6 4.15ii - Excess winter deaths index (single year, age 85+) (Persons) Aug 2014 - Jul 49.2 40.1 72.6	04
4.14iii - Hip fractures in people aged 65 and over - aged 80+ (Male) 2014/15 1748 1174 1815 4.14iii - Hip fractures in people aged 65 and over - aged 80+ (Female) 2014/15 2173 1895 2597 4.15i - Excess winter deaths index (single year, all ages) (Persons) Aug 2014 - Jul 2015 18.7 27.7 50.7 4.15i - Excess winter deaths index (single year, all ages) (Male) Aug 2014 - Jul 2015 9.1 23.6 51.0 4.15i - Excess winter deaths index (single year, all ages) (Female) Aug 2014 - Jul 27.6 31.6 62.6 4.15ii - Excess winter deaths index (single year, age 85+) (Persons) Aug 2014 - Jul 49.2 40.1 72.6	170
4.14iii - Hip fractures in people aged 65 and over - aged 80+ (Female) 2014/15 2173 1895 2597 4.15i - Excess winter deaths index (single year, all ages) (Persons) Aug 2014 - Jul 2015 18.7 27.7 50.7 4.15i - Excess winter deaths index (single year, all ages) (Male) Aug 2014 - Jul 2015 9.1 23.6 51.0 4.15i - Excess winter deaths index (single year, all ages) (Female) Aug 2014 - Jul 2015 27.6 31.6 62.6 4.15ii - Excess winter deaths index (single year, age 85+) (Persons) Aug 2014 - Jul 49.2 40.1 72.6	983
4.15i - Excess winter deaths index (single year, all ages) (Persons) Aug 2014 - Jul 2015 18.7 27.7 50.7 4.15i - Excess winter deaths index (single year, all ages) (Male) Aug 2014 - Jul 2015 9.1 23.6 51.0 4.15i - Excess winter deaths index (single year, all ages) (Female) Aug 2014 - Jul 27.6 27.6 2015 27.6 2015 4.15ii - Excess winter deaths index (single year, age 85+) (Persons) Aug 2014 - Jul 49.2 40.1 72.6	606
2015 4.15i - Excess winter deaths index (single year, all ages) (Male) Aug 2014 - Jul 2015 9.1 23.6 51.0 2015 4.15i - Excess winter deaths index (single year, all ages) (Female) Aug 2014 - Jul 2015 27.6 31.6 62.6 2015 4.15ii - Excess winter deaths index (single year, age 85+) (Persons) Aug 2014 - Jul 2014 49.2 40.1 72.6 2015	1284
2015 4.15i - Excess winter deaths index (single year, all ages) (Female) 4.15ii - Excess winter deaths index (single year, age 85+) (Persons) Aug 2014 - Jul 27.6 31.6 62.6 2015 4.15ii - Excess winter deaths index (single year, age 85+) (Persons) Aug 2014 - Jul 49.2 40.1 72.6	10.0
2015 4.15ii - Excess winter deaths index (single year, age 85+) (Persons) Aug 2014 - Jul 49.2 40.1 72.6	-2.7
	3.1
2015	11.5
4.15ii - Excess winter deaths index (single year, age 85+) (Male) Aug 2014 - Jul 32.2 36.3 98.1 2015	-5.7
4.15ii - Excess winter deaths index (single year, age 85+) (Female) Aug 2014 - Jul 59.2 42.4 77.0 2015	3.8
4.15iii - Excess winter deaths index (3 years, all ages) (Persons) Aug 2012 - Jul 18.8 19.6 33.0 2015	10.2
4.15iii - Excess winter deaths index (3 years, all ages) (Male) Aug 2012 - Jul 17.5 16.6 33.2 2015	0.6
4.15iii - Excess winter deaths index (3 years, all ages) (Female) Aug 2012 - Jul 19.9 22.4 39.3 2015	8.0
4.15iv - Excess winter deaths index (3 years, age 85+) (Persons) Aug 2012 - Jul 34.3 28.2 49.0 2015	11.2
4.15iv - Excess winter deaths index (3 years, age 85+) (Male) Aug 2012 - Jul 27.5 26.5 61.1 2015	-7.1
4.15iv - Excess winter deaths index (3 years, age 85+) (Female) Aug 2012 - Jul 38.3 29.2 54.1 2015	9.1
4.16 - Estimated diagnosis rate for people with dementia 2013/14 - 52.5	

Supporting information

	Period	Local value	Eng. value	Eng. worst	Range	Eng. best
Supporting Information - Deprivation score (IMD 2010)	2010	37.6	21.7	43.4	0	5.4
Supporting information - Deprivation score (IMD 2015)	2015	40.2	21.8	42.0	0	5.7
Supporting information - % population aged	2015	22.9	21.3	17.6	\langle O	29.9
Supporting information - % population aged 65+	2015	15.8	17.7	6.0		28.0
Supporting information - % population from Black and Minority Ethnic (BME) groups	2011	11.8	14.6	1.5		71.0

Tartan Rugs

Overarching indicators

Indica	or	Period	England	Co Durham	Darlington	Gateshead	Hartlepool	Middlesboro	Newcastle	N Tyneside	Northum'land	Redcar & Cld	S Tyneside	Stockton	Sunderland
0.1i	Healthy life expectancy at birth (Male)	2012 - 14	63.4	59.1	61.5	58.4	55.6	57.7	58.5	60.2	62.8	60.4	58.9	61.6	58.7
0.1i	Healthy life expectancy at birth (Female)	2012 - 14	64.0	56.7	61.5	59.4	58.0	61.3	59.4	62.7	64.2	59.5	59.1	61.8	58.2
0.1ii	Life expectancy at birth (Male)	2012 - 14	79.5	78.1	78.2	77.8	77.7	76.2	77.9	77.8	79.4	78.6	77.1	78.4	77.3
0.1ii	Life expectancy at birth (Female)	2012 - 14	83.2	81.4	82.2	81.2	81.7	79.8	81.9	82.7	82.5	82.1	81.6	82.3	8.08
0.1ii	Life expectancy at 65 (Male)	2012 - 14	18.8	17.9	18.2	17.9	17.6	17.0	17.8	17.5	18.6	18.3	17.4	18.3	17.3
0.1ii	Life expectancy at 65 (Female)	2012 - 14	21.2	19.8	20.5	19.7	20.3	18.9	20.1	20.5	20.6	20.7	20.2	20.6	19.2
0.2i	Slope index of inequality in life expectancy at birth based on national deprivation deciles within England (Male)	2012 - 14	9.2												
0.2i	Slope index of inequality in life expectancy at birth based on national deprivation deciles within England (Female)	2012 - 14	7.0												
0.2ii	Number of upper tier local authorities for which the local slope index of inequality in life expectancy (as defined in 0.2iii) has decreased (Male)	2012 - 14	80												
0.2ii	Number of upper tier local authorities for which the local slope index of inequality in life expectancy (as defined in 0.2iii) has decreased (Female)	2012 - 14	67												
0.2iii	Slope index of inequality in life expectancy at birth within English local authorities, based on local deprivation deciles within each area (Male)	2012 - 14	-	6.9	11.8	9.2	10.7	11.7	12.4	10.5	9.3	10.0	8.6	16.6	9.9
0.2iii	Slope index of inequality in life expectancy at birth within English local authorities, based on local deprivation deciles within each area (Female)	2012 - 14	-	7.6	9.4	7.8	8.6	12.0	9.5	9.3	7.3	5.7	8.0	12.2	7.6
0.2iv	Gap in life expectancy at birth between each local authority and England as a whole (Male)	2012 - 14	0.0	-1.4	-1.3	-1.7	-1.8	-3.3	-1.6	-1.7	-0.1	-0.9	-2.4	-1.1	-2.2
0.2iv	Gap in life expectancy at birth between each local authority and England as a whole (Female)	2012 - 14	0.0	-1.8	-1.0	-2.0	-1.5	-3.4	-1.3	-0.5	-0.7	-1.1	-1.6	-0.9	-2.4
0.2v	Slope index of inequality in healthy life expectancy at birth based on national deprivation deciles within England (Male)	2012 - 14	19.0												
0.2v	Slope index of inequality in healthy life expectancy at birth based on national deprivation deciles within England (Female)	2012 - 14	20.2												
0.2vi	SII in healthy life expectancy based within local authorities, based on deprivation within Middle Super Output Areas (Male)	2009 - 13	-	13.8	18.4	13.8	17.2	21.0	17.7	14.7	16.6	14.8	12.2	20.4	14.0
0.2vi	SII in healthy life expectancy based within local authorities, based on deprivation within Middle Super Output Areas (Female)	2009 - 13	-	14.5	15.0	12.8	14.9	20.0	18.1	14.4	15.2	13.3	12.5	17.6	12.1
0.2vii	Slope index of inequality in life expectancy at birth within English regions, based on regional deprivation deciles within each area (Male)	2012 - 14	-												
0.2vii	Slope index of inequality in life expectancy at birth within English regions, based on regional deprivation deciles within each area (Female)	2012 - 14	-												

Comparison with respect to England value / goal

Lower Similar Higher

Better Similar Worse

Wider determinants of health

Indicat	or .	Period	England	Co Durham	Darlington	Gateshead	Hartlepool	Middlesboro	Newcastle	Tyneside	Northum'land	Redcar & Cld	Tyneside	Stockton	Sunderland
1.01i	Children in low income families (all dependent children	2013	18.0	21.5	19.6	20.5	27.6	≥ 31.8	26.1	Z 17.7	16.8	24.1	თ 24.6	20.8	22.6
1.01ii	under 20) Children in low income families (under 16s)	2013	18.6	22.5	20.6	21.3	29.1	33.2	27.0	18.3	17.7	25.4	25.9	21.8	23.6
1.02i	School Readiness: the percentage of children achieving a good level of development at the end of reception (Persons)	2014/15	66.3	63.5	66.2	63.7	68.4	57.4	60.5	64.4	64.9	65.8	60.6	58.8	65.9
1.02i	School Readiness: the percentage of children achieving a good level of development at the end of reception (Male)	2014/15	58.6	55.7	56.0	56.7	62.1	49.9	53.0	55.0	57.5	56.5	52.5	50.6	56.8
1.02i	School Readiness: the percentage of children achieving a good level of development at the end of reception (Female)	2014/15	74.3	71.6	77.3	71.4	75.0	65.7	68.7	74.9	72.6	75.3	69.3	67.2	75.1
1.02i	School Readiness: the percentage of children with free school meal status achieving a good level of development at the end of reception (Persons)	2014/15	51.2	48.0	52.9	49.5	57.1	48.3	49.8	43.6	44.4	48.4	46.1	37.8	51.3
1.02i	School Readiness: the percentage of children with free school meal status achieving a good level of development at the end of reception (Male)	2014/15	42.6	39.5	40.5	38.3	49.1	38.7	40.7	34.1	38.5	34.4	33.8	30.0	44.3
1.02i	School Readiness: the percentage of children with free school meal status achieving a good level of development at the end of reception (Female)	2014/15	60.3	56.0	65.7	60.6	65.8	58.0	59.5	55.3	50.5	61.8	60.8	45.6	57.7
1.02ii	School Readiness: the percentage of Year 1 pupils achieving the expected level in the phonics screening check (Persons)	2014/15	76.8	77.8	82.3	76.4	81.1	71.2	71.9	78.0	79.6	77.3	75.9	78.3	78.0
1.02ii	School Readiness: the percentage of Year 1 pupils achieving the expected level in the phonics screening check (Male)	2014/15	73.0	73.3	79.9	73.5	77.3	66.4	68.0	74.0	75.7	72.4	72.0	73.9	73.1
1.02ii	School Readiness: the percentage of Year 1 pupils achieving the expected level in the phonics screening check (Female)	2014/15	80.8	82.4	84.8	79.3	85.2	76.2	76.0	82.5	83.8	82.8	80.2	82.9	83.1
1.02ii	School Readiness: the percentage of Year 1 pupils with free school meal status achieving the expected level in the phonics screening check (Persons)	2014/15	64.7	66.3	73.2	61.8	73.4	63.0	60.8	67.2	66.7	67.2	63.7	66.8	65.7
1.02ii	School Readiness: the percentage of Year 1 pupils with free school meal status achieving the expected level in the phonics screening check (Male)	2014/15	59.5	62.1	71.3	57.9	71.4	57.7	56.6	61.3	65.2	64.4	63.3	60.0	60.1
1.02ii	School Readiness: the percentage of Year 1 pupils with free school meal status achieving the expected level in the phonics screening check (Female)	2014/15	70.1	70.5	75.4	66.1	75.5	68.4	65.1	73.8	68.4	70.7	64.2	73.7	71.5
1.03	Pupil absence	2014/15	4.62	4.84	5.16	4.63	4.86	5.79	4.91	4.45	4.78	5.09	4.85	4.66	4.98
1.04	First time entrants to the youth justice system	2015	369	347	480	331	417	408	609	320	429	346	719	291	638
1.05	16-18 year olds not in education employment or training	2015	4.2	5.9	6.3	5.2	4.6	6.4	5.7	3.8	5.0	7.6	5.7	6.6	5.9
1.06i	Adults with a learning disability who live in stable and appropriate accommodation (Persons)	2014/15	73.3	84.7	80.0	72.9	83.6	75.2	64.0	88.7	78.0	75.5	80.9	69.8	77.9
1.06i	Adults with a learning disability who live in stable and appropriate accommodation (Male)	2014/15	73.2	84.6	78.9	71.2	82.9	73.3	62.4	85.9	80.0	76.4	71.4	66.0	78.8
1.06i	Adults with a learning disability who live in stable and appropriate accommodation (Female)	2014/15	73.1	86.3	81.5	73.7	84.6	75.6	67.1	92.2	76.5	72.5	95.7	77.3	76.6
1.06ii	Percentage of adults in contact with secondary mental health services who live in stable and appropriate accommodation (Persons)	2014/15	59.7	76.2	63.5	38.5	81.7	72.0	38.3	40.6	42.0	79.9	41.0	82.3	47.1
1.06ii	Percentage of adults in contact with secondary mental health services who live in stable and appropriate accommodation (Male)	2014/15	58.4	76.5	57.4	36.8	80.8	69.9	30.9	37.9	36.2	80.2	40.7	81.1	46.7

Comparison with respect to England value / goal

Lower Similar Higher

Better Similar Worse

Wider determinants of health continued

Indicat	or	Period	England	Co Durham	Darlington	Gateshead	Hartlepool	Middlesboro	Newcastle	N Tyneside	Northum'land	Redcar & Cld	S Tyneside	Stockton	Sunderland
1.06ii	Percentage of adults in contact with secondary mental health services who live in stable and appropriate accommodation (Female)	2014/15	61.3	75.9	75.4	40.6	82.5	76.6	47.1	43.2	50.7	79.5	41.4	83.6	47.7
1.07	People in prison who have a mental illness or a significant mental illness	2013/14	5.55												
1.08i	Gap in the employment rate between those with a long- term health condition and the overall employment rate	2015/16	8.8	14.7	13.1	13.6	14.2	6.7	12.8	7.6	4.0	13.7	11.2	7.5	14.2
1.08ii	Gap in the employment rate between those with a learning disability and the overall employment rate (Persons)	2014/15	66.9	66.6	65.8	64.6	47.8	57.6	60.5	68.7	69.4	61.1	69.1	65.9	57.3
1.08ii	Gap in the employment rate between those with a learning disability and the overall employment rate (Male)	2014/15	71.8	73.3	72.3	66.2	48.2	63.5	62.3	72.0	73.2	66.7	73.8	68.8	58.5
1.08ii	Gap in the employment rate between those with a learning disability and the overall employment rate (Female)	2014/15	62.3	60.1	58.5	63.4	49.1	51.7	58.6	65.9	65.7	54.6	64.7	62.7	56.8
1.08iii	Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate (Persons)	2014/15	66.1	61.9	65.1	68.5	58.2	57.2	60.7	70.2	66.3	60.8	66.5	66.1	59.6
1.08iii	Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate (Male)	2014/15	72.6	69.4	71.8	70.3	62.5	62.4	64.6	76.8	71.2	63.3	71.9	70.6	62.1
1.08iii	Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate (Female)	2014/15	59.3	54.6	56.3	66.8	54.1	52.7	56.4	63.8	61.1	58.5	61.2	61.7	57.2
1.08iv	Percentage of people aged 16-64 in employment (Persons)	2015/16	73.9	69.0	73.5	73.2	63.9	65.1	65.1	75.7	73.9	67.2	68.6	72.5	65.5
1.08iv	Percentage of people aged 16-64 in employment (Male)	2015/16	79.2	73.1	76.7	78.1	67.7	71.5	67.0	79.6	77.9	67.1	72.9	77.2	69.1
1.08iv	Percentage of people aged 16-64 in employment (Female)	2015/16	68.8	65.0	70.3	68.4	60.2	58.9	63.1	71.9	70.2	67.4	64.5	68.0	61.9
1.09i	Sickness absence - the percentage of employees who had at least one day off in the previous week	2011 - 13	2.4	2.9	2.5	2.7	3.0	2.8	1.8	3.0	1.3	3.8	1.9	3.1	2.0
1.09ii	Sickness absence - the percent of working days lost due to sickness absence	2011 - 13	1.5	2.2	1.7	2.2	2.3	1.8	1.4	1.6	0.9	2.7	1.7	2.6	1.5
1.10	Killed and seriously injured (KSI) casualties on England's roads	2012 - 14	39.3	37.5	32.3	32.7	25.5	27.8	28.2	24.1	48.8	29.9	20.9	29.2	29.1
1.11	Domestic abuse	2014/15	20.4	26.5	26.5	25.3	33.8	33.8	25.3	25.3	25.3	33.8	25.3	33.8	25.3
1.12i	Violent crime (including sexual violence) - hospital admissions for violence	2012/13 - 14/15	47.5	64.7	70.5	60.3	81.7	92.7	62.3	66.3	57.8	65.7	63.0	55.4	80.7
1.12ii	Violent crime (including sexual violence) - violence offences per 1,000 population	2015/16	17.2	14.6	18.3	14.0	19.7	28.5	19.9	13.1	10.6	15.6	17.8	15.8	16.0
1.12iii	- Violent crime (including sexual violence) - rate of sexual offences per 1,000 population	2015/16	1.7	1.7	2.1	2.0	2.0	3.0	2.5	1.4	1.5	1.9	1.6	2.0	1.8
1.13i	Re-offending levels - percentage of offenders who re-offend	2013	26.4	29.0	33.1	29.4	34.6	34.6	35.5	28.4	27.6	28.7	32.5	29.1	30.5
1.13ii	Re-offending levels - average number of re-offences per offender	2013	0.82	0.94	1.21	0.92	1.20	1.36	1.28	0.91	0.78	0.94	0.99	1.02	0.97
1.13iii	First time offenders	2015	242.4	225.8	275.2	211.5	275.4	300.5	260.1	187.4	180.4	206.6	238.0	225.1	256.1
1.14i	The rate of complaints about noise	2014/15	7.1 ^	4.2 ^	7.2 ^	3.0 ^	6.8	8.3	16.6	2.5 ^	2.4 ^	4.9	7.1 ^	14.9	3.4 ^
1.14ii	The percentage of the population exposed to road, rail and air transport noise of 65dB(A) or more, during the daytime	2011	5.2	2.5	3.4	3.3	1.7	1.1	5.8	3.9	1.8	1.8	3.7	1.8	3.4
1.14iii	The percentage of the population exposed to road, rail and air transport noise of 55 dB(A) or more during the night-time	2011	8.0	4.1	5.5	5.3	2.3	2.4	7.9	5.5	2.6	3.2	5.2	3.1	5.0

Comparison with respect to England value / goal

Lower Similar Higher

Better Similar Worse

Wider determinants of health continued

Indicat	or	Period	England	Co Durham	Darlington	Gateshead	Hartlepool	Middlesbord	Newcastle	N Tyneside	Northum'land	Redcar & Clc	S Tyneside	Stockton	Sunderland
1.15i	Statutory homelessness - Eligible homeless people not in priority need	2015/16	0.9	0.1	0.1	1.0	1.3	-*	- *	1.0	0.6	- *	- *	- *	0.4
1.15ii	Statutory homelessness - households in temporary accommodation	2015/16	3.1	0.1	- *	0.2	- *	-*	0.3	0.2	0.0	0.2	0.1	0.3	-*
1.16	Utilisation of outdoor space for exercise/health reasons	Mar 2014 - Feb 2015	17.9	20.9	23.8	11.8 \$	18.6	23.5 \$	20.7	23.6 \$	17.2	19.3	24.8 \$	19.0	21.1 \$
1.17	Fuel poverty	2014	10.6	12.2	12.6	11.2	11.8	14.3	13.3	9.9	13.3	11.8	11.8	10.7	12.7
1.18i	Social Isolation: percentage of adult social care users who have as much social contact as they would like	2015/16	45.4	49.2	36.8	53.7	54.3	52.2	49.8	46.1	51.5	54.3	47.2	53.3	47.8
1.18ii	Social Isolation: percentage of adult carers who have as much social contact as they would like	2014/15	38.5	52.4	34.9	49.7	52.6	40.0	47.0	45.3	46.9	41.7	30.7	50.3	40.7

Health improvement

2.01	Low birth weight of term babies	2014	2.9	2.7	2.8	3.3	3.0	3.2	3.7	3.1	2.0	2.9	2.3	2.9	4.2
2.02i	Breastfeeding - breastfeeding initiation	2014/15	74.3	57.6	63.2	67.5	49.6	47.2	68.4	67.4	67.2	52.8	53.0	58.2	57.5
2.02ii	Breastfeeding - breastfeeding prevalence at 6-8 weeks after birth - current method	2015/16	43.2 ^	28.1	33.6 ^	36.7	- X	28.7	46.6	38.3	35.1	23.9 ^	24.0	- x	26.8
2.02ii	Breastfeeding - breastfeeding prevalence at 6-8 weeks after birth - historical method	2014/15	43.8	28.9	34.2	37.2	20.2	- x	46.2	38.5	38.0	- x	24.4	29.6	26.2
2.03	Smoking status at time of delivery	2015/16	10.6 \$	18.1	14.8	13.2 \$	18.1	19.8	13.2 \$	13.2	15.0	19.8	21.8	18.1	18.0
2.04	Under 18 conceptions	2014	22.8	28.5	26.8	34.7	28.9	35.5	34.7	22.3	23.0	31.0	30.9	34.4	34.9
2.04	Under 18 conceptions: conceptions in those aged under 16	2014	4.4	5.8	6.6	8.7	8.6	8.1	6.8	3.2	4.8	7.8	5.5	5.6	9.2
2.05ii	Proportion of children aged 2-2½yrs offered ASQ-3 as part of the Healthy Child Programme or integrated review	2015/16	81.3 ^	33.4 ^	32.3 ^	93.7	34.4	- x	- x	87.5 ^	61.9 ^	- x	93.8	- x	98.2
	2.06i - Child excess weight in 4-5 and 10-11 year olds - 4-5 year olds	2014/15	21.9	23.0	23.3	23.1	25.3	27.1	22.4	22.4	23.9	27.4	25.2	24.6	22.1
2.06ii	Child excess weight in 4-5 and 10-11 year olds - 10-11 year olds	2014/15	33.2	36.5	34.5	34.0	41.6	36.1	37.8	33.9	33.8	35.6	39.3	34.2	36.3
2.07i	Hospital admissions caused by unintentional and deliberate injuries in children (aged 0-14 years)	2014/15	109.6	176.2	165.3	143.4	137.4			156.4	127.1	159.4	199.7	132.2	196.5
2.07i	Hospital admissions caused by unintentional and deliberate injuries in children (aged 0-4 years)	2014/15	137.5	227.5	224.9	175.3	185.6			185.8	166.2	224.8	249.7	162.3	241.2
2.07ii	Hospital admissions caused by unintentional and deliberate injuries in young people (aged 15-24 years)	2014/15	131.7	165.3	174.4	179.1	144.6	160.5	114.6	201.3	209.7	165.0	172.6	145.9	138.6
2.08i	Average difficulties score for all looked after children aged 5-16 who have been in care for at least 12 months on 31st March	2014/15	13.9	15.8	14.8	12.7	13.2	13.6	13.3	13.9	14.0	14.4	13.4	14.0	- x
2.08ii	Percentage of children where there is a cause for concern	2014/15	37.0	48.0	43.0	33.0	37.0	37.0	34.0	38.0	39.0	41.0	37.0	35.0	- x
2.09i	Smoking prevalence at age 15 - current smokers (WAY survey)	2014/15	8.2	11.2	9.0	12.4	12.2	8.2	10.7	10.3	9.2	8.9	9.1	6.8	11.6
2.09ii	Smoking prevalence at age 15 - regular smokers (WAY survey)	2014/15	5.5	8.6	6.8	9.8	7.7	6.5	8.3	7.5	6.0	6.0	7.7	4.6	8.9
2.09iii	Smoking prevalence at age 15 - occasional smokers (WAY survey)	2014/15	2.7	2.6	2.2	2.6	4.5	1.6	2.3	2.9	3.2	2.9	1.5	2.2	2.7
2.09iv	Smoking prevalence at age 15 years - regular smokers (SDD survey)	2014	8												

Comparison with respect to England value / goal

Lower Similar Higher Better Similar Worse

Health improvement continued

2.00 Smokking prevalence at age 15 years - occasional smokers (SDO survey) SDO s		•		England	So Durham	Darlington	Sateshead	Hartlepool	Middlesboro	Newcastle	Tyneside	Northum'land	Redcar & Cld	S Tyneside	Stockton	Sunderland
(SIDD survey) 2-101 Emergency Hospital Admissions for Intentional Self-Harm 2014/15 1914 2391 2315 2315 239 330 2258 2961 2643 2788 1919 2-111 Proportion of the population meeting the recommended 5-5-day boundary (redults) 2-111 Average number of portions of truit consumed daily (abults) 2-111 Average number of portions of truit consumed daily (abults) 2-111 Average number of portions of truit consumed daily (abults) 2-111 Average number of portions of truit consumed daily (abults) 2-111 Average number of portions of truit consumed daily (abults) 2-111 Average number of portions of truit consumed daily (abults) 2-111 Average number of portions of truit consumed daily (abults) 2-111 Average number of portions of truit consumed daily (abults) 2-111 Average number of portions of truit consumed daily (abults) 2-111 Average number of portions of truit consumed daily (abults) 2-111 Average number of portions of truit consumed daily (abults) 2-111 Average number of portions of truit consumed daily (abults) 2-111 Average number of portions of truit consumed daily (abults) 2-111 Average number of portions of truit consumed daily (abults) 2-111 Average number of portions of truit consumed daily (abults) 2-111 Average number of portions of truit consumed daily (abults) 2-111 Average number of portions of truit consumed daily (abults) 2-111 Average number of portions of truit consumed daily (abults) 2-112 Average number of portions of truit consumed daily (abults) 2-113 Average number of portions of truit consumed daily (abults) 2-114 Excess weight in Adults 2-115 Average number of portions of truit consumed daily (abults) 2-115 Average number of portions of truit consumed daily (abults) 2-115 Average number of portions of truit consumed daily (abults) 2-115 Average number of portions of truit consumed daily (abults) 2-115 Average number of portions of truit consumed daily (abults) 2-115 Average number of portions of truit consumed daily (abults) 2-115 Average number of portions of truit cons	tor		Period	Eng	ပိ	Dar	Gat	Har	Mid	Š	Z	No	Red	S	Stoc	Sun
2-111 Proportion of the population meeting the recommended 5%-day on a fusial day (adults) 2-15 2-1			2014	5												
5-a-day' on a 'usual' day' (adults) 2015 2.51 2.39 2.49 2.38 2.19 2.13 2.54 2.39 2.70 2.57 2.37 2.5 2.31 2.51 2.39 2.70 2.51 2.39 2.70 2.51 2.51 2.39 2.70 2.51 2.51 2.39 2.70 2.51 2.51 2.39 2.70 2.51 2.51 2.30 2.70 2.51 2.51 2.30 2.70 2.51 2.51 2.30 2.70 2.51 2.51 2.30 2.70 2.51 2.30 2.70 2.51 2.30 2.30 2.	Emer	rgency Hospital Admissions for Intentional Self-Harm	2014/15	191.4	239.1	231.4	281.5	225.9	335.0	225.8	296.1	264.3	278.4	197.3	225.6	168.7
2.11ii Average number of portions of fult consumed daily (adults) 2015 2.51 2.39 2.40 2.30 2.70 2.30 2.50 2.30 2.70 2.30 2.10 2.30 2.30 2.10 2.30			2015	52.3	53.4	51.3	48.5	49.1			52.1	56.6	51.1	51.7	54.4	47.8
2.11 11 Average number of portions of vegetables consumed daily (2.11 11 2.11	Avera	age number of portions of fruit consumed daily (adults)	2015	2.51	2.39	2.49	2.38	2.19	2.13		2.39	2.75	2.37	2.36	2.40	2.30
2.11w - Proportion of the population meeting the recommended "5-a-day" at age 15 2.11v - Average number of portions of fruit consumed daily at age 15 (WAY survey) 2.11vi - Average number of portions of vegetables 2014/15 2.04 2.12 2.07 2.06 2.11 2.20 2.22 2.23 2.23 2.23 2.27 2.21 2.12 2.12 Excess weight in Adults 2.013 - 15 2.01			2015	2.27	2.34	2.19	2.06	2.33	2.07	2.53	2.25	2.37	2.20	2.35	2.38	2.12
2.11 - Average number of portions of fruit consumed daily at age 15 (WAY survey) 2.11 - Average number of portions of vegetables consumed daily at age 15 (WAY survey) 2.11 - Average number of portions of vegetables consumed daily at age 15 (WAY survey) 2.12 Excess weight in Adults 2.13 - Percentage of physically active and inactive adults - active adults 2.14 - Percentage of physically active and inactive adults - active adults 2.15 - Percentage of physically active and inactive adults - active adults 2.16 - Smoking Prevalence in adults - current smokers (APS) 2.17 Smoking Prevalence in adults - current smokers (APS) 2.18 Smoking Prevalence in adults - current smokers (APS) 2.19 Successful completion of drug treatment - opiate users 2.19 Successful completion of drug treatment - opiate users 2.19 Successful completion of drug treatment - opiate users 2.19 Successful completion of alcohol treatment 2.19 Successful completion of alcohol treat			2014/15	52.4	44.7	44.6	46.1	43.8	50.3	47.8	50.0	50.1	48.0	46.1	46.7	44.4
2.11vi – Average number of portions of vegetables consumed daily at age 15 (WAY survey) 2.12 Excess weight in Adults 2.013 - 15 64.8 67.6 65.4 69.4 73.3 68.8 63.2 66.9 69.8 70.5 70. 70. 71. 71. 71. 71. 71. 71. 71. 71. 71. 71			2014/15	2.39	2.19	2.10	2.30	2.15	2.28	2.40	2.36	2.29	2.32	2.24	2.16	2.17
2.131 Percentage of physically active and inactive adults - active active adults - active adults - active adults - active active adults - active active adults - active active			2014/15	2.40	2.24	2.07	2.06	2.18	2.22	2.23	2.23	2.27	2.21	2.10	2.26	2.01
2.13i Percentage of physically active and inactive adults - active adults adults adults adults adults adults - active adults - 2015 57.0 57.3 56.5 57.0 57.0 57.0 57.0 57.0 57.0 57.0 57	Exces	ess weight in Adults	2013 - 15	64.8	67.6	65.4	69.4		68.8	63.2	66.9	69.8	70.5	71.3	72.1	70.1
Inactive adults		•	2015	57.0	57.3	56.5	46.3			55.7	53.6	55.2	50.5	47.9	47.8	50.6
2.14 Smoking Prevalence in adult in routine and manual occupations - current smokers (APS) 2.15i Successful completion of drug treatment - opiate users 2.015 6.7 5.3 4.8 5.0 6.4 5.1 3.2 8.5 5.5 6.1 5. 2.15ii Successful completion of drug treatment - non-opiate users 2.015 37.3 25.7 35.3 25.0 24.1 32.7 26.9 23.6 21.3 41.1 34. 2.15iii Successful completion of alcohol treatment 2.015 38.4 27.5 40.0 32.0 30.5 41.5 24.2 26.8 32.0 39.8 44. 2.15iii Successful completion of alcohol treatment 2.015 38.4 27.5 40.0 32.0 30.5 41.5 24.2 26.8 32.0 39.8 44. 2.15iii Successful completion of alcohol treatment 2.015 38.4 27.5 40.0 32.0 30.5 41.5 24.2 26.8 32.0 39.8 44. 2.15iii Successful completion of alcohol treatment 2.015 38.4 27.5 40.0 32.0 30.5 41.5 24.2 26.8 32.0 39.8 44. 2.15iii Successful completion of alcohol treatment 2.015 38.4 27.5 40.0 32.0 30.5 41.5 24.2 26.8 32.0 39.8 44. 2.15iii Successful completion of alcohol treatment 2.015 38.4 27.5 40.0 32.0 30.5 41.5 24.2 26.8 32.0 39.8 44. 2.15iii Successful completion of alcohol treatment 2.015 38.4 27.5 40.0 32.0 30.5 41.5 24.2 26.8 32.0 39.8 44. 2.15iii Successful completion of alcohol treatment alcohol successfully engage in community-based structured treatment following release from prison 2.17 Recorded diabetes 2.014/15 6.4 7.0 6.8 6.5 6.3 6.2 5.8 6.8 7.3 6.9 7. 2.18 Admission episodes for alcohol-related conditions - narrow definition (Male) 2.18 Admission episodes for alcohol-related conditions - narrow definition (Male) 2.19 Cancer diagnosed at early stage (experimental statistics) 2.014 50.7 47.6 57.8 76.2 78.5 72.2 71.3 74.6 78.1 80.4 76.3 76. 2.20ii Cancer screening coverage - breast cancer 2.015 75.4 77.8 76.2 78.5 72.2 71.3 74.6 78.1 80.4 76.3 76. 2.20ii Cancer screening coverage - cervical cancer 2.015 75.4 77.6 76.8 75.8 75.2 76.5 75.3 58.8 64.0 59.9 57.		0 1 7 7	2015	28.7	33.2	30.8	36.7	35.3		34.2	34.4	31.8	36.4	37.2	33.6	37.0
2.15ii Successful completion of drug treatment - opiate users 2015 6.7 5.3 4.8 5.0 6.4 5.1 3.2 8.5 5.5 6.1 5. 2.15ii Successful completion of drug treatment - non-opiate users 2015 37.3 25.7 35.3 25.0 24.1 32.7 26.9 23.6 21.3 41.1 34. 2.15iii Successful completion of alcohol treatment 2015 38.4 27.5 40.0 32.0 30.5 41.5 24.2 26.8 32.0 39.8 44. 2.15iii Deaths from drug misuse 2013 - 15 3.9 6.3 -x 6.1 9.5 9.9 7.3 5.5 4.6 -x 6. 2.16 Adults with substance misuse treatment need who successfully engage in community-based structured treatment following release from prison 2014/15 6.4 7.0 6.8 6.5 6.3 6.2 5.8 6.8 7.3 6.9 7. 2.17 Recorded diabetes 2014/15 6.4 7.0 6.8 6.5 6.3 6.2 5.8 6.8 7.3 6.9 7. 2.18 Admission episodes for alcohol-related conditions - narrow definition (Persons) 2014/15 647 746 708 927 838 930 831 1028 822 695 85 666 667 673 653 852 620 489 70 666 75 75.4 77.8 76.2 78.5 72.2 71.3 74.6 78.1 80.4 76.3 76.3 76.2 78.5 72.2 71.3 74.6 78.1 80.4 76.3 76.3 76.3 77.6 76.8 75.8 73.2 70.6 70.9 77.6 78.6 75.9 74. 2.20ii Cancer screening coverage - bevel cancer 2015 75.4 77.8 76.2 78.5 73.2 70.6 70.9 77.6 78.6 75.9 74. 2.20ii Cancer screening coverage - bowel cancer 2015 75.4 77.8 76.8 75.8 73.2 70.6 70.9 77.6 78.6 75.9 74. 2.20ii Cancer screening coverage - bowel cancer 2015 75.4 77.8 76.8 75.8 73.2 70.6 70.9 77.6 78.6 75.9 74. 2.20ii Cancer screening coverage - bowel cancer 2015 75.4 77.8 76.8 75.8 73.2 70.6 70.9 77.6 78.6 75.9 74. 2.20ii Cancer screening coverage - cervical cancer 2015 75.4 77.8 76.8 75.8 73.2 70.6 70.9 77.6 78.6 75.9 74. 2.20ii Cancer screening coverage - bowel cancer 2015 75.7 77.6 76.8 75.8 73.2 70.6 70.9 77.6 78.6 75.9 74. 2.20ii Cancer screening coverage - bowel cancer 2015 75.7 77.6 76.8 75.8 73.2 70.6 70.9 77.6 78.6 75.9 74. 2.20ii Cancer screening coverage - cervical cancer 2015 75.7 77.6 76.8 75.9 75.3 77.6 76.8 75.9 75.3 77.6 76.8 75.9 75.3 77.6 76.8 75.9 75.3 77.6 77.8 77.8 77.8 77.8 77.8 77.8 77.8	Smok	king Prevalence in adults - current smokers (APS)	2015	16.9	19.0	17.9	18.3	22.8	20.8	18.6	18.0	16.6	17.2	17.4	18.4	21.5
2.15ii Successful completion of drug treatment - opiate users 2015 6.7 5.3 4.8 5.0 6.4 5.1 3.2 8.5 5.5 6.1 5. 2.15ii Successful completion of drug treatment - non-opiate users 2015 37.3 25.7 35.3 25.0 24.1 32.7 26.9 23.6 21.3 41.1 34. 2.15iii Successful completion of alcohol treatment 2015 38.4 27.5 40.0 32.0 30.5 41.5 24.2 26.8 32.0 39.8 44. 2.15iii Deaths from drug misuse 2013 - 15 3.9 6.3 -x 6.1 9.5 9.9 7.3 5.5 4.6 -x 6.1 9.5 9.9 9.9 7.3 5.5 4.6 9.9 9.9 7.3 5.5 4.6 9.9 9.9 7.3 5.5 4.6 9.9 9.9 9.9 7.3 5.5 4.6 9.9 9.9 9.9 9.9 9.9 9.9 9.9 9.9 9.9 9		•	2015	26.5	24.5	24.5	25.6	28.1			26.5	26.7	25.5	24.0	29.3	29.4
2.15iii Successful completion of drug treatment - non-opiate users 2015 37.3 25.7 35.3 25.0 24.1 32.7 26.9 23.6 21.3 41.1 34 21.5iii Successful completion of alcohol treatment 2015 38.4 27.5 40.0 32.0 30.5 41.5 24.2 26.8 32.0 39.8 44 21.5iii Successful completion of alcohol treatment 2015 38.4 27.5 40.0 32.0 30.5 41.5 24.2 26.8 32.0 39.8 44 21.5iii Deaths from drug misuse 2013 - 15 3.9 6.3 - x 6.1 9.5 9.9 7.3 5.5 4.6 - x 6.1 21.5 40.0 32.0 30.5 41.5 24.2 26.8 32.0 39.8 44 21.5 40.0 32.0 30.5 41.5 24.2 26.8 32.0 39.8 44 21.5 40.0 32.0 30.5 41.5 24.2 26.8 32.0 39.8 44 21.5 40.0 32.0 30.5 41.5 24.2 26.8 32.0 39.8 44 21.5 40.0 32.0 30.5 41.5 24.2 26.8 32.0 39.8 44 21.5 40.0 32.0 30.5 41.5 24.2 26.8 32.0 39.8 44 21.5 40.0 32.0 30.5 41.5 24.2 26.8 32.0 39.8 44 21.5 40.0 32.0 30.5 41.5 24.2 26.8 32.0 39.8 44 21.5 40.0 32.0 30.5 41.5 24.2 26.8 32.0 39.8 44 21.5 40.0 32.0 30.5 41.5 24.2 26.8 32.0 39.8 44 21.5 40.0 32.0 30.5 41.5 24.2 26.8 32.0 39.8 44 21.5 40.0 32.0 30.5 41.5 24.2 26.8 32.0 39.8 44 21.5 40.0 32.0 30.5 41.5 24.2 26.8 32.0 39.8 44 21.5 40.0 32.0 30.5 41.5 24.2 26.8 32.0 39.8 44 21.5 40.0 32.0 30.5 41.5 24.2 26.8 32.0 39.8 44 21.5 40.0 32.0 30.5 41.5 24.2 26.8 32.0 39.8 44 21.5 40.0 32.0 30.5 41.5 24.2 26.8 32.0 39.8 44 21.5 40.0 32.0 30.5 41.5 24.2 26.8 32.0 39.8 44 21.5 40.0 32.0 30.5 41.5 24.2 26.8 32.0 39.8 44.1 32.0 32.0 30.5 41.5 24.2 26.8 32.0 39.8 44.1 32.0 32.0 30.5 41.5 24.2 26.8 32.0 39.8 44.1 32.0 32.0 30.5 41.5 24.2 26.8 32.0 39.8 44.1 32.0 32.0 30.5 41.5 24.2 26.8 32.0 39.8 44.1 32.0 32.0 30.5 41.5 24.2 26.8 32.0 39.8 44.1 32.0 32.0 30.5 41.5 24.2 26.8 32.0 39.8 44.1 32.0 32.0 30.5 41.5 24.2 26.8 32.0 39.8 44.1 32.0 32.0 32.0 32.0 32.0 32.0 32.0 32.0	Succe	cessful completion of drug treatment - opiate users	2015	6.7	5.3	4.8	5.0	6.4	5.1	3.2	8.5	5.5	6.1	5.4	5.0	6.8
2.15iii Successful completion of alcohol treatment 2015 38.4 27.5 40.0 32.0 30.5 41.5 24.2 26.8 32.0 39.8 44.2 2.15iv Deaths from drug misuse 2013 - 15 3.9 6.3 - x 6.1 9.5 9.9 7.3 5.5 4.6 - x 6.2 2.16 Adults with substance misuse treatment need who successfully engage in community-based structured treatment following release from prison 2015/16 30.3 42.6 34.8 46.9 63.9 40.7 35.3 45.8 48.8 71.6 28 2.17 Recorded diabetes 2014/15 6.4 7.0 6.8 6.5 6.3 6.2 5.8 6.8 7.3 6.9 7. 2.18 Admission episodes for alcohol-related conditions - narrow definition (Persons) 2014/15 827 912 923 1156 1156 1217 1018 1242 1047 929 102 4.18 Admission episodes for alcohol-related conditions - narrow definition (Male) 2.18 Admission episodes for alcohol-related conditions - narrow definition (Female) 2014/15 474 597 518 723 551 673 653 852 620 489 70 2.19 Cancer diagnosed at early stage (experimental statistics) 2014 50.7 49.6 54.8 49.6 46.7 55.4 52.8 49.4 55.5 48.6 51 2.20i Cancer screening coverage - breast cancer 2015 75.4 77.8 76.2 78.5 72.2 71.3 74.6 78.1 80.4 76.3 76.2 2.20ii Cancer screening coverage - cervical cancer 2015 75.1 61.2 60.2 60.0 55.6 53.9 55.3 58.8 64.0 59.9 57 2.20ii Cancer screening coverage - bowel cancer 2015 75.1 61.2 60.2 60.0 55.6 53.9 55.3 58.8 64.0 59.9 57 2.20ii Cancer screening coverage - bowel cancer 2015 75.1 61.2 60.2 60.0 55.6 53.9 55.3 58.8 64.0 59.9 57 2.20ii Cancer screening coverage - bowel cancer 2015 75.1 61.2 60.2 60.0 55.6 53.9 55.3 58.8 64.0 59.9 57 2.20ii Cancer screening coverage - bowel cancer 2015 75.1 61.2 60.2 60.0 55.6 53.9 55.3 58.8 64.0 59.9 57 2.20ii Cancer screening coverage - bowel cancer 2015 75.1 61.2 60.2 60.0 55.6 53.9 55.3 58.8 64.0 59.9 57 2.20ii Cancer screening coverage - bowel cancer 2015 75.1 61.2 60.2 60.0 55.6 53.9 55.3 58.8 64.0 59.9 57 2.20ii Cancer screening coverage - bowel cancer 2015 75.1 61.2 60.2 60.0 55.6 53.9 55.3 58.8 64.0 59.9 57 2.20ii Cancer screening coverage - bowel cancer 2015 75.1 61.2 60.2 60.0 55.6 53.9 55.3 58.8 64.0 59.9 57 2.20ii Cancer screening co	Succe	cessful completion of drug treatment - non-opiate users	2015	37.3	25.7	35.3	25.0	24.1		26.9	23.6	21.3	41.1	34.6	43.2	29.5
2.15iv Deaths from drug misuse 2013 - 15 3.9 6.3 - x 6.1 9.5 9.9 7.3 5.5 4.6 - x 6.2 2.16 Adults with substance misuse treatment need who successfully engage in community-based structured treatment following release from prison 2014/15 6.4 7.0 6.8 6.5 6.3 6.2 5.8 6.8 7.3 6.9 7. 2.18 Admission episodes for alcohol-related conditions - narrow definition (Persons) 2014/15 827 912 923 1156 1156 1217 1018 1242 1047 929 103 103 42.6 42.6 42.6 42.6 43.8 43.8 44.9 63.9 40.7 35.3 45.8 48.8 71.6 28 43.8 44.8 71.6 28	Succe	cessful completion of alcohol treatment	2015	38.4	27.5	40.0	32.0	30.5	41.5		26.8	32.0	39.8	44.6	33.4	40.5
2.16 Adults with substance misuse treatment need who successfully engage in community-based structured treatment following release from prison 2.17 Recorded diabetes 2014/15 6.4 7.0 6.8 6.5 6.3 6.2 5.8 6.8 7.3 6.9 7. 2.18 Admission episodes for alcohol-related conditions - narrow definition (Persons) 2.18 Admission episodes for alcohol-related conditions - narrow definition (Male) 2.18 Admission episodes for alcohol-related conditions - narrow definition (Male) 2.18 Admission episodes for alcohol-related conditions - narrow definition (Fernale) 2.19 Cancer diagnosed at early stage (experimental statistics) 2.19 Cancer screening coverage - breast cancer 2.10 Cancer screening coverage - cervical cancer 2.11 Cancer screening coverage - bowel cancer 2.12 Cancer screening coverage - bowel cancer 2.13 Solution (Fernale) 2.14 Solution (Fernale) 3.3 42.6 34.8 46.9 63.9 40.7 35.3 45.8 48.8 71.6 28 4.5 5.8 6.8 7.3 6.9 7.3 6	Death	hs from drug misuse	2013 - 15	3.9	6.3	- x	6.1	9.5	9.9		5.5	4.6	- x	6.9	6.5	5.9
2.18 Admission episodes for alcohol-related conditions - narrow definition (Persons) 2.18 Admission episodes for alcohol-related conditions - narrow definition (Male) 2.18 Admission episodes for alcohol-related conditions - narrow definition (Male) 2.18 Admission episodes for alcohol-related conditions - narrow definition (Male) 2.19 Cancer diagnosed at early stage (experimental statistics) 2.19 Cancer screening coverage - breast cancer 2.10 Cancer screening coverage - cervical cancer 2.20 Cancer screening coverage - cervical cancer 2.20 Cancer screening coverage - bowel cancer	succe	essfully engage in community-based structured	2015/16	30.3	42.6	34.8	46.9				45.8	48.8	71.6	28.0	56.4	39.7
definition (Persons) 2.18 Admission episodes for alcohol-related conditions - narrow definition (Male) 2.18 Admission episodes for alcohol-related conditions - narrow definition (Male) 2.18 Admission episodes for alcohol-related conditions - narrow definition (Female) 2.19 Cancer diagnosed at early stage (experimental statistics) 2.19 Cancer screening coverage - breast cancer 2.20i Cancer screening coverage - cervical cancer 2.20i Cancer screening coverage - cervical cancer 2.20i Cancer screening coverage - bowel cancer	Reco	orded diabetes	2014/15	6.4	7.0	6.8	6.5	6.3	6.2	5.8	6.8	7.3	6.9	7.1	6.1	6.6
definition (Male) 2.18 Admission episodes for alcohol-related conditions - narrow definition (Female) 2014/15 474 597 518 723 551 673 653 852 620 489 70 2.19 Cancer diagnosed at early stage (experimental statistics) 2014 50.7 49.6 54.8 49.6 46.7 55.4 52.8 49.4 55.5 48.6 51 2.20i Cancer screening coverage - breast cancer 2015 75.4 77.8 76.2 78.5 72.2 71.3 74.6 78.1 80.4 76.3 76 2.20ii Cancer screening coverage - cervical cancer 2015 73.5 77.6 76.8 75.8 73.2 70.6 70.9 77.6 78.6 75.9 74 2.20ii Cancer screening coverage - bowel cancer 2015 57.1 61.2 60.2 60.0 55.6 53.9 55.3 58.8 64.0 59.9 57		•	2014/15	641	746	708	927	838	930	831	1028	822	695	859	808	882
2.18 Admission episodes for alcohol-related conditions - narrow definition (Female) 2.19 Cancer diagnosed at early stage (experimental statistics) 2.10 Cancer screening coverage - breast cancer 2.11 Cancer screening coverage - cervical cancer 2.12 Cancer screening coverage - bowel cancer 2.13 Cancer screening coverage - bowel cancer 2.24 50.7 49.6 54.8 49.6 46.7 55.4 52.8 49.4 55.5 48.6 51 2.25 71.3 74.6 78.1 80.4 76.3 76.2 78.5 72.2 71.3 74.6 78.1 80.4 76.3 76.2 78.5 77.6 76.8 75.8 75.8 75.8 75.8 75.9 74.8 75.9 74.8 75.9 74.9 75.9 75.9 75.9 75.9 75.9 75.9 75.9 75			2014/15	827	912	923	1156	1156			1242	1047	929	1033	999	1161
2.20i Cancer screening coverage - breast cancer 2015 75.4 77.8 76.2 78.5 72.2 71.3 74.6 78.1 80.4 76.3 76 2.20ii Cancer screening coverage - cervical cancer 2015 73.5 77.6 76.8 75.8 73.2 70.6 70.9 77.6 78.6 75.9 74 2.20iii Cancer screening coverage - bowel cancer 2015 57.1 61.2 60.2 60.0 55.6 53.9 55.3 58.8 64.0 59.9 57			2014/15	474	597	518	723	551			852	620	489	707	640	636
2.20ii Cancer screening coverage - cervical cancer 2015 73.5 77.6 76.8 75.8 73.2 70.6 70.9 77.6 78.6 75.9 74 2.20iii Cancer screening coverage - bowel cancer 2015 57.1 61.2 60.2 60.0 55.6 53.9 55.3 58.8 64.0 59.9 57	Canc	cer diagnosed at early stage (experimental statistics)	2014	50.7	49.6	54.8	49.6	46.7	55.4	52.8	49.4	55.5	48.6	51.3	54.8	53.4
2.20ii Cancer screening coverage - cervical cancer 2015 73.5 77.6 76.8 75.8 73.2 70.6 70.9 77.6 78.6 75.9 74 2.20iii Cancer screening coverage - bowel cancer 2015 57.1 61.2 60.2 60.0 55.6 53.9 55.3 58.8 64.0 59.9 57	Canc	cer screening coverage - breast cancer	2015	75.4	77.8	76.2	78.5	72.2			78.1	80.4	76.3	76.0	76.0	78.2
2.20iii Cancer screening coverage - bowel cancer 2015 57.1 61.2 60.2 60.0 55.6 53.9 55.3 58.8 64.0 59.9 57	Canc	cer screening coverage - cervical cancer	2015	73.5	77.6	76.8	75.8	73.2			77.6	78.6	75.9	74.8	75.2	76.3
	Canc	cer screening coverage - bowel cancer	2015	57.1	61.2	60.2	60.0	55.6	53.9		58.8	64.0	59.9	57.2	59.2	57.2
2.20iv – Abdominal Aortic Aneurysm Screening – Coverage 2014/15 79.4 76.8 78.0 78.2 76.7 71.6 70.6 76.9 79.6 77.8 76	– Abo	dominal Aortic Aneurysm Screening – Coverage	2014/15	79.4	76.8	78.0	78.2	75.7	71.6	70.6	76.9	79.6	77.8	76.4	75.2	77.1
2.20v - Diabetic eye screening - uptake 2014/15 82.9	– Dia	abetic eye screening - uptake	2014/15	82.9	. 	- 								. 		
2.20vii Infectious Diseases in Pregnancy Screening – HIV 2014/15 98.9 Coverage			2014/15	98.9												

Comparison with respect to England value / goal

Lower Similar Higher

Better Similar Worse

Health	improvement	continued
1 ICalti I	IIIIpiovollicit	COLLINIACA

Indicato	г	Period	England	Co Durham	Darlington	Gateshead	Hartlepool	Middlesboro	Newcastle	N Tyneside	Northum'land	Redcar & Cld	S Tyneside	Stockton	Sunderland
2.20viii	Infectious Diseases in Pregnancy Screening – Syphilis Coverage	2014	97.4										0,	0,	
2.20ix	Infectious Diseases in Pregnancy Screening – Hepatitis B Coverage	2014	97.4												
2.20x	Sickle Cell and Thalassaemia Screening – Coverage	2014/15	98.9												
2.20xi	Newborn Blood Spot Screening – Coverage	2014/15	95.8	- x	- x	97.6	93.7	98.0	97.6	99.6	99.6	98.0	98.3	93.7	96.5
2.20xii	Newborn Hearing Screening – Coverage	2014/15	98.5	98.7	99.2	99.0	99.6	98.1	99.4	99.6	99.6	97.8	98.0	99.4	99.1
2.20xiii	Newborn and Infant Physical Examination Screening – Coverage	2014/15	93.3												
2.22iii	Cumulative percentage of the eligible population aged 40-74 offered an NHS Health Check	2013/14 - 15/16	56.4	50.3	71.1	68.6	69.8	78.7	70.5	48.6	64.4	75.4	37.6	76.3	31.6
2.22iv	Cumulative percentage of the eligible population aged 40-74 offered an NHS Health Check who received an NHS Health Check	2013/14 - 15/16	48.6	49.0	43.4	54.0	41.3	41.8	28.0	56.5	41.6	41.7	44.6	40.9	57.8
2.22v	Cumulative percentage of the eligible population aged 40-74 who received an NHS Health check	2013/14 - 15/16	27.4	24.7	30.8	37.1	28.8	32.9	19.8	27.5	26.8	31.4	16.8	31.2	18.2
2.23i	Self-reported wellbeing - people with a low satisfaction score	2014/15	4.8	5.0	4.3	6.3	6.7	5.8	6.4	5.3	6.0	6.5	6.1	6.9	7.9
2.23ii	Self-reported wellbeing - people with a low worthwhile score	2014/15	3.8	4.4	5.0	4.3	5.4	4.2	5.9	5.3	4.5	3.8	5.4	- x	5.1
2.23iii	Self-reported wellbeing - people with a low happiness score	2014/15	9.0	10.8	9.8	11.4	10.1	12.2	10.7	10.5	9.3	8.6	13.7	9.2	12.6
2.23iv	Self-reported wellbeing - people with a high anxiety score	2014/15	19.4	23.1	21.2	25.6	20.8	22.2	22.4	19.0	19.3	18.6	23.0	20.2	26.0
2.24i	Injuries due to falls in people aged 65 and over (Persons)	2014/15	2125	2071	1900	2594	1975	2083	2381	2630	2111	1735	2035	1870	2344
2.24i	Injuries due to falls in people aged 65 and over (Male)	2014/15	1740	1515	1493	2071	1506	1757	1935	2134	1632	1392	1691	1459	1907
2.24i	Injuries due to falls in people aged 65 and over (Female)	2014/15	2509	2627	2308	3116	2444	2409	2828	3127	2590	2079	2380	2281	2781
2.24ii	Injuries due to falls in people aged 65 and over - aged 65-79 (Persons)	2014/15	1012	1019	905	1373	1015	1069	1362	1415	1066	819	949	991	1145
2.24ii	Injuries due to falls in people aged 65 and over - aged 65-79 (Male)	2014/15	826	768	699	1164	805	945	1182	1143	795	584	849	816	904
2.24ii	Injuries due to falls in people aged 65 and over - aged 65-79 (Female)	2014/15	1198	1269	1112	1583	1225	1193	1541	1687	1337	1054	1048	1166	1386
2.24iii	Injuries due to falls in people aged 65 and over - aged 80+ (Persons)	2014/15	5351	5123	4785	6132	4758	5026	5338	6154	5142	4393	5186	4418	5823
2.24iii	Injuries due to falls in people aged 65 and over - aged 80+ (Male)	2014/15	4391	3681	3795	4703	3537	4114	4117	5006	4060	3735	4132	3322	4818
2.24iii	Injuries due to falls in people aged 65 and over - aged 80+ (Female)	2014/15	6312	6566	5774	7561	5979	5938	6560	7301	6223	5052	6240	5515	6828

Health protection

	•								_						
3.01	Fraction of mortality attributable to particulate air pollution	2014	5.1	4.3	4.1	4.3	4.2	4.5	4.4	4.3	3.8	4.2	4.5	4.3	4.5
3.02	Chlamydia detection rate (15-24 year olds)	2015	1887	1592	1819	1760	2051	1538	2067	2232	2066	1330	1754	1512	1701
< 1900	0 1900 to 2300 ≥ 2300														
3.02	Chlamydia detection rate (15-24 year olds) (Male)	2015	1276	1166	1332	1241	1272	1159	1427	1686	1534	943	1305	1018	1127
3.02	Chlamydia detection rate (15-24 year olds) (Female)	2015	2492	2038	2290	2314	2845	1954	2754	2803	2647	1724	2226	2050	2291

Comparison with respect to England value / goal

Lower Similar Higher

Better Similar Worse

Health protection continued

Indicato	r		Period	England	Co Durham	Darlington	Gateshead	Hartlepool	Middlesboro	Newcastle	N Tyneside	Northum'land	Redcar & Cld	S Tyneside	Stockton	Sunderland
3.03i	Population vaccination coverage -	Hepatitis B (1 year old)	2014/15	-	- *	0.0 *	- ^	- ^	100 ^	1	- ^	100 ^	- ^	- ^	- *	- *
3.03i	Population vaccination coverage -	Hepatitis B (2 years old)	2014/15	-	- ^	80.0 ^	- ^	- ^	100 ^	100 ^	- *	- *	- *	- ^	100 ^	- *
	Population vaccination coverage - old) 0 to 95 ≥ 95	Dtap / IPV / Hib (1 year	2014/15	94.2	98.3 ^	95.9 ^	96.0 ^	94.3 ^	95.1 ^	93.7 ^	98.8 ^	97.9 ^	96.4 ^	98.0 ^	95.0 ^	98.3 ^
	Population vaccination coverage - old) 0 to 95 ≥ 95	Dtap / IPV / Hib (2 years	2014/15	95.7	98.8 ^	98.0 ^	96.7 ^	96.3 ^	95.9 ^	96.9 ^	98.5 ^	98.2 ^	96.9 ^	99.2 ^	97.0 ^	99.0 ^
	Population vaccination coverage - 0 to 95 ≥ 95	MenC	2012/13	93.9 ^	97.1	98.7	96.1	93.4	93.7	93.4	98.1	96.0	95.2	98.8	92.6	98.0
	Population vaccination coverage - 0 to 95 ≥ 95	PCV	2014/15	93.9	98.1 ^	95.7 ^	95.6 ^	93.7 ^	94.8 ^	93.0 ^	98.6 ^	97.7 ^	96.3 ^	97.9 ^	94.7 ^	98.2 ^
	Population vaccination coverage - years old) 0 to 95 ≥ 95	Hib / MenC booster (2	2014/15	92.1	97.5 ^	95.6 ^	92.4 ^	91.4 ^	91.9 ^	94.3 ^	97.5 ^	96.9 ^	94.7 ^	98.0 ^	94.5 ^	96.7 ^
	Population vaccination coverage - years old) 0 to 95 ≥ 95	Hib / Men C booster (5	2014/15	92.4	97.2 ^	95.8 ^	91.5 ^	93.4 ^	94.2 ^	94.8 ^	97.8 ^	97.3 ^	97.7 ^	91.3 ^	95.5 ^	97.6 ^
	Population vaccination coverage - 0 to 95 ≥ 95	PCV booster	2014/15	92.2 ^	97.6 ^	95.5 ^	92.4 ^	90.3 ^	91.3 ^	94.1 ^	97.1 ^	95.9 ^	93.6 ^	98.3 ^	93.9 ^	96.8 ^
	Population vaccination coverage - years old) 0 to 95 ≥ 95	MMR for one dose (2	2014/15	92.3	97.2 ^	94.5 ^	92.3 ^	89.8 ^	91.9 ^	94.7 ^	97.0 ^	95.6 ^	93.8 ^	98.1 ^	94.2 ^	96.3 ^
	Population vaccination coverage - years old) 0 to 95 ≥ 95	MMR for one dose (5	2014/15	94.4	97.7 ^	95.0 ^	96.5 ^	92.2 ^	95.6 ^	96.2 ^	97.1 ^	97.1 ^	97.6 ^	98.4 ^	93.9 ^	97.5 ^
	Population vaccination coverage - years old) 0 to 95 ≥ 95	MMR for two doses (5	2014/15	88.6	95.9 ^	92.9 ^	89.3 ^	87.7 ^	92.3 ^	91.1 ^	96.9 ^	95.3 ^	95.0 ^	95.9 ^	91.5 ^	94.4 ^
	Population vaccination coverage – coverage for one dose (females 12 0 to 90 ≥ 90		2014/15	89.4	95.2	92.2	86.6	93.6	93.1	90.2	96.7	95.2	85.4	87.1	95.2	91.1
	Population vaccination coverage - $\frac{5 \text{ to } 75}{2 \text{ to } 75}$	PPV	2015/16	70.1	70.1	73.0	73.1	64.8	72.0	74.4	71.2	73.5	71.8	75.7	73.1	73.1
3.03xiv < 75 ≥	Population vaccination coverage - 75	Flu (aged 65+)	2015/16	71.0	71.0	71.3	72.6	71.0	73.2	74.3	71.8	73.5	69.7	73.6	71.6	71.5
3.03xv < 55 ≥	Population vaccination coverage - 55	Flu (at risk individuals)	2015/16	45.1		40.6			41.7			48.2				
	Population vaccination coverage - coverage (70 years old) 0 to 60 ≥ 60	Shingles vaccination	2014/15	59.0 ^	62.1 ^	62.0 ^	58.9 ^	41.3 ^	54.0 ^	62.6 ^	61.3 ^	63.5 ^	64.1 ^	66.5 ^	63.8 ^	62.3 ^
	iPopulation vaccination coverage - 0 to 65 ≥ 65	Flu (2-4 years old)	2015/16	34.4	36.8	39.0	39.2	27.1	31.8	36.6	37.8	44.5	34.3	38.7	41.5	37.0
	- HIV late diagnosis 5 to 50 ≥ 50		2013 - 15	40.3	41.5	-*	42.3	_*	63.6		21.4	52.2	60.0	42.9	33.3	50.0
< 50th- ≥90th	3.05i - Treatment completion for T percentile of UTLAs ≥50th to <90th		2014	84.4	-	-	78.9	-	-	84.4	-	-	-	-	-	-
< 10th-	3.05ii - Incidence of TB percentile of UTLAs ≥10th to <50tl	n	2013 - 15	12.0	1.9	5.1	6.8	4.0	9.8	14.1	4.8	2.5	3.0	5.6	4.6	6.9

Lower Similar Higher

Better Similar Worse

Not compared

Comparison with respect to England value / goal

Health protection continued

Indica	tor	Period	England	Co Durham	Darlington	Gateshead	Hartlepool	Middlesbord	Newcastle	N Tyneside	Northum'land	Redcar & Clo	S Tyneside	Stockton	Sunderland
3.06	NHS organisations with a board approved sustainable development management plan	2014/15	56.5	50.0	25.0	80.0	75.0	100	75.0	80.0	75.0	75.0	75.0	75.0	80.0

Healthcare and premature mortality

4.01	Infant mortality	2013 - 15	3.9	3.4	4.1	4.3	4.1	4.6	3.2	3.1	3.2	2.9	2.1	4.1	4.1
4.02	Proportion of five year old children free from dental decay	2014/15	75.2	64.9	64.6	76.2	84.6	61.2	77.5	81.7	74.3	72.9	74.0	74.7	59.9
4.03	Mortality rate from causes considered preventable (Persons)	2013 - 15	184.5	226.1	211.3	232.7	243.9	275.7	244.0	233.0	194.5	225.6	231.1	216.4	242.6
4.03	Mortality rate from causes considered preventable (Male)	2013 - 15	232.5	268.7	271.4	282.4	303.8	328.9	312.5	293.2	244.6	277.0	293.7	272.1	295.0
4.03	Mortality rate from causes considered preventable (Female)	2013 - 15	139.6	185.0	154.9	184.1	188.8	222.4	176.8	177.5	146.7	178.0	173.4	164.3	196.3
4.04i	Under 75 mortality rate from all cardiovascular diseases (Persons)	2013 - 15	74.6	83.0	79.5	93.1	92.7	103.7	95.3	84.0	69.2	88.9	84.0	81.9	89.8
4.04i	Under 75 mortality rate from all cardiovascular diseases (Male)	2013 - 15	104.7	109.3	114.9	132.3	122.7	143.9	133.9	125.3	96.5	123.7	119.0	111.8	116.4
4.04i	Under 75 mortality rate from all cardiovascular diseases (Female)	2013 - 15	46.2	57.9	45.7	56.1	64.2	66.1	58.0	46.2	43.6	56.5	51.3	53.5	65.4
4.04ii	Under 75 mortality rate from cardiovascular diseases considered preventable (Persons)	2013 - 15	48.1	52.7	51.4	60.7	56.0	69.4	58.8	53.1	45.8	56.8	52.7	53.4	58.4
4.04ii	Under 75 mortality rate from cardiovascular diseases considered preventable (Male)	2013 - 15	72.5	73.8	77.8	88.5	82.3	100.0		85.2	70.1	87.2	80.1	78.9	82.8
4.04ii	Under 75 mortality rate from cardiovascular diseases considered preventable (Female)	2013 - 15	25.0	32.6	26.1	34.4	31.1	40.8	30.1	23.8	23.0	28.6	27.0	29.4	36.1
4.05i	Under 75 mortality rate from cancer (Persons)	2013 - 15	138.8	163.2	161.8	158.7	182.9	173.7	170.9	170.4	141.2	169.2	169.3	157.6	168.5
4.05i	Under 75 mortality rate from cancer (Male)	2013 - 15	154.8	178.8	174.9	179.8	203.0	196.0	197.6	201.3	159.5	190.1	192.3	176.5	190.2
4.05i	Under 75 mortality rate from cancer (Female)	2013 - 15	123.9	148.5	149.3	139.6	165.2	152.4	145.7	142.7	124.1	149.8	148.8	139.8	149.2
4.05ii	Under 75 mortality rate from cancer considered preventable (Persons)	2013 - 15	81.1	96.6	97.1	98.7	110.4	111.0	113.8	106.8	79.7	106.0	98.5	95.1	102.8
4.05ii	Under 75 mortality rate from cancer considered preventable (Male)	2013 - 15	88.4	103.3	110.3	110.3	114.5	116.7		122.7	89.2	115.2	109.4	103.7	113.9
4.05ii	Under 75 mortality rate from cancer considered preventable (Female)	2013 - 15	74.5	90.4	84.5	88.3	107.2	105.4		92.7	70.9	97.5	89.0	87.1	93.2
4.06i	Under 75 mortality rate from liver disease (Persons)	2013 - 15	18.0	21.8	22.0	26.3	33.1	30.5	26.5	26.3	19.7	23.5	22.1	30.0	24.3
4.06i	Under 75 mortality rate from liver disease (Male)	2013 - 15	23.7	26.6	28.7	32.1	45.6	44.1	38.9	32.1	25.4	26.8	26.6	40.1	32.3
4.06i	Under 75 mortality rate from liver disease (Female)	2013 - 15	12.5	17.3	- x	21.0	21.0	17.8	14.3	20.9	14.4	20.4	17.8	20.5	17.0
4.06ii	Under 75 mortality rate from liver disease considered preventable (Persons)	2013 - 15	15.9	18.8	18.6	24.5	29.5	27.5	24.0	22.3	17.2	21.7	20.1	28.8	22.8
4.06ii	Under 75 mortality rate from liver disease considered preventable (Male)	2013 - 15	21.4	23.4	25.3	29.8	40.6	39.0	35.5	27.9	23.0	25.3	25.3	38.5	30.8
4.06ii	Under 75 mortality rate from liver disease considered preventable (Female)	2013 - 15	10.6	14.4	- x	19.5	- x	16.8	12.7	17.1	11.8	18.4	15.3	19.7	15.5
4.07i	Under 75 mortality rate from respiratory disease (Persons)	2013 - 15	33.1	42.5	35.8	44.3	47.2	57.1	43.7	38.2	31.5	40.4	45.6	39.5	48.9
4.07i	Under 75 mortality rate from respiratory disease (Male)	2013 - 15	38.5	44.1	39.2	45.6	57.6	63.7	49.2	43.5	34.7	41.1	51.6	44.4	49.7
4.07i	Under 75 mortality rate from respiratory disease (Female)	2013 - 15	28.0	41.0	32.6	42.9	37.9	51.3	38.3	33.1	28.6	39.9	40.3	34.8	47.8

Comparison with respect to England value / goal

Lower Similar Higher

Better Similar Worse

Healthcare and premature mortality continued

110	altificate and premature mor	tanty C	OHI	IIIu	eu			و			Þ	Cld			
Indicate	or	Period	England	Co Durham	Darlington	Gateshead	Hartlepool	Middlesboro	Newcastle	N Tyneside	Northum'land	Redcar & C	S Tyneside	Stockton	Sunderland
4.07ii	Under 75 mortality rate from respiratory disease considered preventable (Persons)	2013 - 15	18.1	27.1	21.8	27.1	27.5	32.5	28.0	22.7	19.0	23.8	32.6	15.2	31.4
4.07ii	Under 75 mortality rate from respiratory disease considered preventable (Male)	2013 - 15	20.3	26.5	24.1	26.2	29.2	33.2	32.6	20.6	19.2	22.8	34.1	15.5	27.3
4.07ii	Under 75 mortality rate from respiratory disease considered preventable (Female)	2013 - 15	16.1	27.6	19.5	27.8	26.0	32.1	23.3	24.4	18.7	24.7	31.3	14.8	35.0
4.08	Mortality rate from a range of specified communicable diseases, including influenza (Persons)	2013 - 15	10.5	10.7	9.6	12.8	13.6	15.2	15.1	13.1	13.3	11.0	11.2	8.6	10.9
4.08	Mortality rate from a range of specified communicable diseases, including influenza (Male)	2013 - 15	11.5	11.3	- x	16.0	- x	- x	17.6	13.6	12.8	- x	- x	12.2	9.9
4.08	Mortality rate from a range of specified communicable diseases, including influenza (Female)	2013 - 15	9.6	10.2	- x	10.8	- x	17.1	13.5	12.3	13.3	- x	11.9	- x	11.2
4.09i	Excess under 75 mortality rate in adults with serious mental illness	2013/14	351.8	485.4	545.6	408.2	337.8	523.7	415.6	380.4	347.6	318.3	526.0	421.7	428.5
4.09ii	Proportion of adults in the population in contact with secondary mental health services	2013/14	5.3	5.2	5.5	5.4	5.2	6.8	6.1	5.3	6.0	5.1	5.7	4.4	5.7
4.10	Suicide rate (Persons)	2013 - 15	10.1	15.7	14.2	8.7	- x	17.4	11.5	11.7	12.7	10.7	10.2	13.6	10.0
4.10	Suicide rate (Male)	2013 - 15	15.8	23.1	26.0	14.3	- x	27.0	17.4	18.7	20.6	17.6	16.2	22.7	17.2
4.10	Suicide rate (Female)	2013 - 15	4.7	8.5	- x	- x	- x	- x	- x	- x	- x	- x	- x	- x	- x
4.11	Emergency readmissions within 30 days of discharge from hospital (Persons)	2011/12	11.8	12.4	12.2	13.0	12.3	13.0	12.6	13.5	12.6	13.3	12.7	11.6	13.3
4.11	Emergency readmissions within 30 days of discharge from hospital (Male)	2011/12	12.1	12.3	12.0	13.2	13.1	13.4	13.0	13.0	12.8	13.4	13.3	11.8	13.7
4.11	Emergency readmissions within 30 days of discharge from hospital (Female)	2011/12	11.5	12.5	12.3	12.8	11.6	12.7	12.2	13.9	12.4	13.2	12.1	11.4	13.1
4.12i	Preventable sight loss - age related macular degeneration (AMD)	2014/15	118.1	169.5	208.3	132.2	163.4	223.2	176.1	124.2	113.9	114.5	156.2	159.7	190.8
4.12ii	Preventable sight loss - glaucoma	2014/15	12.8	18.7	23.4	15.4	12.4	9.3	8.3	9.2	10.3	12.1	6.2	16.4	13.8
4.12iii	Preventable sight loss - diabetic eye disease	2014/15	3.2	3.1	- *	- *	- *	-*	2.0	- *	- *	- *	- *	4.2	- *
4.12iv	Preventable sight loss - sight loss certifications	2014/15	42.4	58.1	60.7	43.9	54.0	61.1	48.0	48.8	44.3	40.7	57.8	55.6	63.2
4.13	Health related quality of life for older people	2013/14	0.727	0.678	0.715	0.689	0.706	0.692	0.697	0.708	0.741	0.704	0.689	0.722	0.674
4.14i	Hip fractures in people aged 65 and over (Persons)	2014/15	571	574	624	662	684	741	655	663	539	536	621	608	698
4.14i	Hip fractures in people aged 65 and over (Male)	2014/15	425	370	367	483	560	622	480	476	343	363	436	421	529
4.14i	Hip fractures in people aged 65 and over (Female)	2014/15	718	779	881	842	809	861	831	850	736	710	806	795	867
4.14ii	Hip fractures in people aged 65 and over - aged 65-79 (Persons)	2014/15	239	254	228	284	305	321	286	324	197	257	246	249	318
4.14ii	Hip fractures in people aged 65 and over - aged 65-79 (Male)	2014/15	167	160	134	217	281	233	169	238	95	174	212	164	197
4.14ii	Hip fractures in people aged 65 and over - aged 65-79 (Female)	2014/15	312	349	322	351	329	409	402	410	299	341	280	335	439
4.14iii	Hip fractures in people aged 65 and over - aged 80+ (Persons)	2014/15	1535	1503	1771	1761	1785	1960	1727	1644	1531	1345	1708	1648	1800
4.14iii	Hip fractures in people aged 65 and over - aged 80+ (Male)	2014/15	1174	978	1042	1254	1368	1748	1380	1165	1062	911	1086	1168	1492
4.14iii	Hip fractures in people aged 65 and over - aged 80+ (Female)	2014/15	1895	2028	2500	2269	2202	2173	2074	2124	2001	1780	2331	2128	2108

Comparison with respect to England value / goal

Lower Similar Higher Better Similar Worse

Healthcare an	d premature	mortality	/ continued

Indicate	or	Period	England	Co Durham	Darlington	Gateshead	Hartlepool	Middlesboro	Newcastle	N Tyneside	Northum'land	Redcar & Cld	S Tyneside	Stockton	Sunderland
4.15i	Excess winter deaths index (single year, all ages) (Persons)	Aug 2014 - Jul 2015	27.7	29.1	27.5	26.0	46.1	18.7	22.0	17.6	37.6	18.3	29.3	40.5	25.2
4.15i	Excess winter deaths index (single year, all ages) (Male)	Aug 2014 - Jul 2015	23.6	27.7	23.1	18.0	51.0	9.1	11.5	7.0	26.9	1.2	13.4	38.4	18.4
4.15i	Excess winter deaths index (single year, all ages) (Female)	Aug 2014 - Jul 2015	31.6	30.3	31.7	34.1	41.3	27.6	31.4	27.5	47.8	36.1	43.7	42.5	32.1
4.15ii	Excess winter deaths index (single year, age 85+) (Persons)	Aug 2014 - Jul 2015	40.1	45.6	42.0	40.9	55.1	49.2	38.2	26.9	48.1	34.1	50.7	54.8	43.2
4.15ii	Excess winter deaths index (single year, age 85+) (Male)	Aug 2014 - Jul 2015	36.3	41.5	24.5	31.1	56.8	32.2	28.2	4.6	27.5	0.7	8.7	57.4	33.3
4.15ii	Excess winter deaths index (single year, age 85+) (Female)	Aug 2014 - Jul 2015	42.4	48.0	52.0	47.1	53.8	59.2	43.3	39.6	61.9	59.0	74.9	53.3	48.9
4.15iii	Excess winter deaths index (3 years, all ages) (Persons)	Aug 2012 - Jul 2015	19.6	19.7	20.8	22.1	23.0	18.8	17.4	14.5	18.2	17.1	18.2	26.0	19.1
4.15iii	Excess winter deaths index (3 years, all ages) (Male)	Aug 2012 - Jul 2015	16.6	17.1	15.5	19.2	25.9	17.5	18.6	12.1	11.9	12.0	13.6	21.5	14.0
4.15iii	Excess winter deaths index (3 years, all ages) (Female)	Aug 2012 - Jul 2015	22.4	22.1	25.7	24.9	20.2	19.9	16.4	16.8	24.2	22.0	22.3	30.4	23.8
4.15iv	Excess winter deaths index (3 years, age 85+) (Persons)	Aug 2012 - Jul 2015	28.2	26.0	31.1	30.0	30.2	34.3	26.5	22.4	28.4	28.1	26.9	33.0	29.3
4.15iv	Excess winter deaths index (3 years, age 85+) (Male)	Aug 2012 - Jul 2015	26.5	19.9	22.7	29.5	48.4	27.5	26.6	19.2	21.1	20.6	17.9	35.2	27.0
4.15iv	Excess winter deaths index (3 years, age 85+) (Female)	Aug 2012 - Jul 2015	29.2	29.4	35.5	30.3	19.7	38.3	26.4	24.2	33.0	32.7	31.8	31.7	30.7
4.16	Estimated diagnosis rate for people with dementia	2013/14	52.5	-	-	-	-	-	-	-	-	-	-	- -	-

Supporting information

Supporting Information - Deprivation score (IMD 2010)	2010	21.7	26.4	25.4	29.5	33.7	37.6	29.7	22.2	20.2	28.5	28.3	23.5	29.5
Supporting information - Deprivation score (IMD 2015)	2015	21.8	25.7	23.6	25.9	33.2	40.2	28.3	21.3	20.5	28.6	30.6	24.6	29.7
Supporting information - % population aged	2015	21.3	19.3	21.5	19.8	21.4	22.9	19.3	20.0	18.8	20.2	19.6	21.9	19.6
Supporting information - % population aged 65+	2015	17.7	19.9	19.5	19.1	18.7	15.8	14.3	19.4	23.1	21.6	19.6	17.4	18.6
Supporting information - % population from Black and Minority Ethnic (BME) groups	2011	14.6	1.8	3.8	3.7	2.3	11.8	14.5	3.4	1.6	1.5	4.1	5.4	4.1

Comparison with respect to England value / goal


Lower Similar Higher

Better Similar Worse


Summary Charts

Overarching indicators


0.1i - Healthy life expectancy at birth (Male)




0.1i - Healthy life expectancy at birth (Female)




0.1ii - Life expectancy at birth (Male)




0.1ii - Life expectancy at birth (Female)



0.1ii - Life expectancy at 65 (Male)



0.1ii - Life expectancy at 65 (Female)



0.2i - Slope index of inequality in life expectancy at birth based on national deprivation deciles within England (Male)

No data

0.2i - Slope index of inequality in life expectancy at birth based on national deprivation deciles within England (Female)

No data

0.2ii - Number of upper tier local authorities for which the local slope index of inequality in life expectancy (as defined in 0.2iii) has decreased (Male)

No data

0.2ii - Number of upper tier local authorities for which the local slope index of inequality in life expectancy (as defined in 0.2iii) has decreased (Female)

No data

Key


---- England value and confidence interval

↑ Middlesbrough


Other local authority in North East

Overarching indicators continued

0.2iii - Slope index of inequality in life expectancy at birth within English local authorities, based on local deprivation deciles within each area (Male)




0.2iv - Gap in life expectancy at birth between each local authority and England as a whole (Male)




0.2v - Slope index of inequality in healthy life expectancy at birth based on national deprivation deciles within England (Male)

No data

0.2iii - Slope index of inequality in life expectancy at birth within English local authorities, based on local deprivation deciles within each area (Female)




0.2iv - Gap in life expectancy at birth between each local authority and England as a whole (Female)



0.2v - Slope index of inequality in healthy life expectancy at birth based on national deprivation deciles within England (Female)

No data


0.2vi - SII in healthy life expectancy based within local authorities, based on deprivation within Middle Super Output Areas (Male)



0.2vii - Slope index of inequality in life expectancy at birth within English regions, based on regional deprivation deciles within each area (Male)

No data

0.2vi - SII in healthy life expectancy based within local authorities, based on deprivation within Middle Super Output Areas (Female)



0.2vii - Slope index of inequality in life expectancy at birth within English regions, based on regional deprivation deciles within each area (Female)

No data


Key ---- England value and confidence interval

↑ Middlesbrough


Other local authority in North East

Wider determinants of health


1.01i - Children in low income families (all dependent children under 20)




1.01ii - Children in low income families (under 16s)




1.02i - School Readiness: the percentage of children achieving a good level of development at the end of reception (Persons)




1.02i - School Readiness: the percentage of children achieving a good level of development at the end of reception (Male)




1.02i - School Readiness: the percentage of children achieving a good level of development at the end of reception (Female)




1.02i - School Readiness: the percentage of children with free school meal status achieving a good level of development at the end of reception (Persons)




1.02i - School Readiness: the percentage of children with free school meal status achieving a good level of development at the end of reception (Male)




1.02i - School Readiness: the percentage of children with free school meal status achieving a good level of development at the end of reception (Female)



1.02ii - School Readiness: the percentage of Year 1 pupils achieving the expected level in the phonics screening check (Persons)




1.02ii - School Readiness: the percentage of Year 1 pupils achieving the expected level in the phonics screening check (Male)




Key ---- England value and confidence interval ↑ Middlesbrough Other local authority in North East

Wider determinants of health continued


1.02ii - School Readiness: the percentage of Year 1 pupils achieving the expected level in the phonics screening check (Female)




1.02ii - School Readiness: the percentage of Year 1 pupils with free school meal status achieving the expected level in the phonics screening check (Persons)




1.02ii - School Readiness: the percentage of Year 1 pupils with free school meal status achieving the expected level in the phonics screening check (Male)




1.02ii - School Readiness: the percentage of Year 1 pupils with free school meal status achieving the expected level in the phonics screening check (Female)









1.04 - First time entrants to the youth justice system




1.05 - 16-18 year olds not in education employment or training




1.06i - Adults with a learning disability who live in stable and appropriate accommodation (Persons)



1.06i - Adults with a learning disability who live in stable and appropriate accommodation (Male)




1.06i - Adults with a learning disability who live in stable and appropriate accommodation (Female)




Key ---- England value and confidence interval ↑ Middlesbrough Other local authority in North East

Wider determinants of health continued


1.06ii - Percentage of adults in contact with secondary mental health services who live in stable and appropriate accommodation (Persons)



1.06ii - Percentage of adults in contact with secondary mental health services who live in stable and appropriate accommodation (Male)




1.06ii - Percentage of adults in contact with secondary mental health services who live in stable and appropriate accommodation (Female)




1.07 - People in prison who have a mental illness or a significant mental illness

No data


1.08i - Gap in the employment rate between those with a long-term health condition and the overall employment rate




1.08ii - Gap in the employment rate between those with a learning disability and the overall employment rate (Persons)




1.08ii - Gap in the employment rate between those with a learning disability and the overall employment rate (Male)




1.08ii - Gap in the employment rate between those with a learning disability and the overall employment rate (Female)



1.08iii - Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate (Persons)



1.08iii - Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate (Male)




Key ---- England value and confidence interval

↑ Middlesbrough


Other local authority in North East

Wider determinants of health continued


1.08iii - Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate (Female)




1.08iv - Percentage of people aged 16-64 in employment (Persons)




1.08iv - Percentage of people aged 16-64 in employment (Male)




1.08iv - Percentage of people aged 16-64 in employment (Female)




1.09i - Sickness absence - the percentage of employees who had at least one day off in the previous week




1.09ii - Sickness absence - the percent of working days lost due to sickness absence




1.10 - Killed and seriously injured (KSI) casualties on England's roads




1.11 - Domestic abuse



1.12i - Violent crime (including sexual violence) - hospital admissions for violence



1.12ii - Violent crime (including sexual violence) - violence offences per 1,000 population




d value and confidence interval


Middlesbrough Other local authority in North East

Wider determinants of health continued


1.12iii- Violent crime (including sexual violence) - rate of sexual offences per 1,000 population




1.13i - Re-offending levels - percentage of offenders who re-offend




1.13ii - Re-offending levels - average number of re-offences per offender




1.13iii - First time offenders




1.14i - The rate of complaints about noise




1.14ii - The percentage of the population exposed to road, rail and air transport noise of 65dB(A) or more, during the daytime




1.14iii - The percentage of the population exposed to road, rail and air transport noise of 55 dB(A) or more during the night-time




1.15i - Statutory homelessness - Eligible homeless people not in priority need



1.15ii - Statutory homelessness - households in temporary accommodation




1.16 - Utilisation of outdoor space for exercise/health reasons





Key ---- England value and confidence interval ↑ Middlesbrough Other local authority in North East

Middlesbrough


Wider determinants of health continued








1.18ii - Social Isolation: percentage of adult carers who have as much social contact as they would like




Health improvement


2.01 - Low birth weight of term babies




2.02i - Breastfeeding - breastfeeding initiation





2.02ii - Breastfeeding - breastfeeding prevalence at 6-8 weeks after birth - current method




2.02ii - Breastfeeding - breastfeeding prevalence at 6-8 weeks after birth - historical method









2.04 - Under 18 conceptions




2.04 - Under 18 conceptions: conceptions in those aged under 16




2.05ii - Proportion of children aged 2-2½yrs offered ASQ-3 as part of the Healthy Child Programme or integrated review



2.06i - Child excess weight in 4-5 and 10-11 year olds - 4-5 year olds



2.06ii - Child excess weight in 4-5 and 10-11 year olds - 10-11 year olds




Key ---- England value and confidence interval

↑ Middlesbrough


Other local authority in North East

Health improvement continued


2.07i - Hospital admissions caused by unintentional and deliberate injuries in children (aged 0-14 years)




2.07ii - Hospital admissions caused by unintentional and deliberate injuries in young people (aged 15-24 years)



2.08ii - Percentage of children where there is a cause for concern




2.09ii - Smoking prevalence at age 15 - regular smokers (WAY survey)




2.09iv - Smoking prevalence at age 15 years - regular smokers (SDD survey)

No data


2.07i - Hospital admissions caused by unintentional and deliberate injuries in children (aged 0-4 years)




2.08i - Average difficulties score for all looked after children aged 5-16 who have been in care for at least 12 months on 31st March



2.09i - Smoking prevalence at age 15 - current smokers (WAY survey)



2.09iii - Smoking prevalence at age 15 - occasional smokers (WAY survey)




2.09v - Smoking prevalence at age 15 years - occasional smokers (SDD survey)


No data

Health improvement continued


2.10ii - Emergency Hospital Admissions for Intentional Self-Harm




2.11i - Proportion of the population meeting the recommended '5-a-day' on a 'usual day' (adults)




2.11ii - Average number of portions of fruit consumed daily (adults)




2.11iii - Average number of portions of vegetables consumed daily (adults)




2.11iv – Proportion of the population meeting the recommended "5-a-day" at age 15




2.11v – Average number of portions of fruit consumed daily at age 15 (WAY survey)




2.11vi – Average number of portions of vegetables consumed daily at age 15 (WAY survey)




2.12 - Excess weight in Adults



2.13i - Percentage of physically active and inactive adults - active adults



2.13ii - Percentage of physically active and inactive adults - inactive adults




Key ---- England value and confidence interval

↑ Middlesbrough


Other local authority in North East


Health improvement continued


2.14 - Smoking Prevalence in adults - current smokers (APS)




2.14 - Smoking Prevalence in adult in routine and manual occupations - current smokers (APS)









2.15ii - Successful completion of drug treatment - non-opiate




2.15iii - Successful completion of alcohol treatment




2.15iv - Deaths from drug misuse




2.16 - Adults with substance misuse treatment need who successfully engage in community-based structured treatment following release from prison




2.17 - Recorded diabetes



2.18 - Admission episodes for alcohol-related conditions - narrow definition (Persons)




2.18 - Admission episodes for alcohol-related conditions - narrow definition (Male)





Key ---- England value and confidence interval ↑ Middlesbrough Other local authority in North East


Health improvement continued


2.18 - Admission episodes for alcohol-related conditions - narrow definition (Female)














2.20ii - Cancer screening coverage - cervical cancer



2.20iii - Cancer screening coverage - bowel cancer



2.20iv - Abdominal Aortic Aneurysm Screening - Coverage



2.20v - Diabetic eye screening - uptake

No data

2.20vii - Infectious Diseases in Pregnancy Screening – HIV Coverage

No data

2.20viii - Infectious Diseases in Pregnancy Screening – Syphilis Coverage

No data

2.20ix - Infectious Diseases in Pregnancy Screening – Hepatitis B Coverage


No data


0-

Health improvement continued

2.20x - Sickle Cell and Thalassaemia Screening – Coverage No data









2.20xiii - Newborn and Infant Physical Examination Screening - Coverage


No data




Middlesbrough




2.22iv - Cumulative percentage of the eligible population aged 40-74 offered an NHS Health Check who received an NHS Health Check




2.22v - Cumulative percentage of the eligible population aged 40-74 who received an NHS Health check




2.23i - Self-reported wellbeing - people with a low satisfaction score



2.23ii - Self-reported wellbeing - people with a low worthwhile score




2.23iii - Self-reported wellbeing - people with a low happiness





Key ---- England value and confidence interval ↑ Middlesbrough Other local authority in North East

Health improvement continued


2.23iv - Self-reported wellbeing - people with a high anxiety score









2.24i - Injuries due to falls in people aged 65 and over (Male)




2.24i - Injuries due to falls in people aged 65 and over (Female)




2.24ii - Injuries due to falls in people aged 65 and over - aged 65-79 (Persons)




2.24ii - Injuries due to falls in people aged 65 and over - aged 65-79 (Male)




2.24ii - Injuries due to falls in people aged 65 and over - aged 65-79 (Female)




2.24iii - Injuries due to falls in people aged 65 and over - aged 80+ (Persons)



2.24iii - Injuries due to falls in people aged 65 and over - aged 80+ (Male)




2.24iii - Injuries due to falls in people aged 65 and over - aged 80+ (Female)



Key ---- England value and confidence interval ↑ Middlesbrough Other

Other local authority in North East



Key


Other local authority in North East

↑ Middlesbrough


---- England value and confidence interval


Health protection continued


3.03vi - Population vaccination coverage - Hib / MenC booster (2 years old)




3.03vi - Population vaccination coverage - Hib / Men C booster (5 years old)









3.03viii - Population vaccination coverage - MMR for one dose (2 years old)




3.03ix - Population vaccination coverage - MMR for one dose (5 years old)




3.03x - Population vaccination coverage - MMR for two doses (5 years old)




3.03xii - Population vaccination coverage - HPV vaccination coverage for one dose (females 12-13 years old)




3.03xiii - Population vaccination coverage - PPV







3.03xv - Population vaccination coverage - Flu (at risk individuals)




Key ---- England value and confidence interval


↑ Middlesbrough


www.phoutcomes.info


Health protection continued


3.03xvii - Population vaccination coverage - Shingles vaccination coverage (70 years old)
















Healthcare and premature mortality





90 80 70 60 50 40


4.02 - Proportion of five year old children free from dental decay


4.03 - Mortality rate from causes considered preventable (Male)


Middlesbrough

30-20-


> 10-0-









4.03 - Mortality rate from causes considered preventable (Female)




4.04i - Under 75 mortality rate from all cardiovascular diseases (Persons)




4.04i - Under 75 mortality rate from all cardiovascular diseases (Male)




4.04i - Under 75 mortality rate from all cardiovascular diseases (Female)



4.04ii - Under 75 mortality rate from cardiovascular diseases considered preventable (Persons)




4.04ii - Under 75 mortality rate from cardiovascular diseases considered preventable (Male)





Key ---- England value and confidence interval ↑ Middlesbrough

Healthcare and premature mortality continued


4.04ii - Under 75 mortality rate from cardiovascular diseases considered preventable (Female)









4.05i - Under 75 mortality rate from cancer (Male)




4.05i - Under 75 mortality rate from cancer (Female)




4.05ii - Under 75 mortality rate from cancer considered preventable (Persons)




4.05ii - Under 75 mortality rate from cancer considered preventable (Male)




4.05ii - Under 75 mortality rate from cancer considered preventable (Female)




4.06i - Under 75 mortality rate from liver disease (Persons)



4.06i - Under 75 mortality rate from liver disease (Male)




4.06i - Under 75 mortality rate from liver disease (Female)




Key ---- England value and confidence interval

↑ Middlesbrough


4.06ii - Under 75 mortality rate from liver disease considered preventable (Persons)




4.06ii - Under 75 mortality rate from liver disease considered preventable (Male)




4.06ii - Under 75 mortality rate from liver disease considered preventable (Female)




4.07i - Under 75 mortality rate from respiratory disease (Persons)




4.07i - Under 75 mortality rate from respiratory disease (Male)




4.07i - Under 75 mortality rate from respiratory disease (Female)




4.07ii - Under 75 mortality rate from respiratory disease considered preventable (Persons)




4.07ii - Under 75 mortality rate from respiratory disease considered preventable (Male)



4.07ii - Under 75 mortality rate from respiratory disease considered preventable (Female)



4.08 - Mortality rate from a range of specified communicable diseases, including influenza (Persons)




Key ---- England value and confidence interval


↑ Middlesbrough

Healthcare and premature mortality continued


4.08 - Mortality rate from a range of specified communicable diseases, including influenza (Male)




4.08 - Mortality rate from a range of specified communicable diseases, including influenza (Female)




4.09i - Excess under 75 mortality rate in adults with serious mental illness




4.09ii - Proportion of adults in the population in contact with secondary mental health services










4.10 - Suicide rate (Male)









4.11 - Emergency readmissions within 30 days of discharge from hospital (Persons)



4.11 - Emergency readmissions within 30 days of discharge from hospital (Male)





4.11 - Emergency readmissions within 30 days of discharge from hospital (Female)





Key ---- England value and confidence interval


↑ Middlesbrough

































4.14i - Hip fractures in people aged 65 and over (Female)



4.14ii - Hip fractures in people aged 65 and over - aged 65-79




4.14ii - Hip fractures in people aged 65 and over - aged 65-79 (Male)




---- England value and confidence interval Key


↑ Middlesbrough


4.14ii - Hip fractures in people aged 65 and over - aged 65-79 (Female)




4.14iii - Hip fractures in people aged 65 and over - aged 80+ (Persons)










4.14iii - Hip fractures in people aged 65 and over - aged 80+ (Female)









4.15i - Excess winter deaths index (single year, all ages) (Male)




4.15i - Excess winter deaths index (single year, all ages) (Female)




4.15ii - Excess winter deaths index (single year, age 85+) (Persons)



4.15ii - Excess winter deaths index (single year, age 85+) (Male)



4.15ii - Excess winter deaths index (single year, age 85+) (Female)




Key ---- England value and confidence interval


↑ Middlesbrough

www.phoutcomes.info


4.15iii - Excess winter deaths index (3 years, all ages) (Persons)




4.15iii - Excess winter deaths index (3 years, all ages) (Male)




4.15iii - Excess winter deaths index (3 years, all ages) (Female)




4.15iv - Excess winter deaths index (3 years, age 85+) (Persons)



4.15iv - Excess winter deaths index (3 years, age 85+) (Male)



4.15iv - Excess winter deaths index (3 years, age 85+) (Female)





4.16 - Estimated diagnosis rate for people with dementia


No data

Supporting information


Supporting Information - Deprivation score (IMD 2010)









Supporting information - % population aged



Supporting information - % population aged 65+



Supporting information - % population from Black and Minority Ethnic (BME) groups



Definitions

Overarching indicators

0.1i Healthy life expectancy at birth: the average number of years a person would expect to live in good health based on contemporary mortality rates and prevalence of self-reported good health. 0.1ii Life expectancy at birth: the average number of years a person would expect to live based on contemporary mortality rates. 0.2i Slope index of inequality in life expectancy at birth based on national deprivation deciles within England: the range in years of life expectancy across the social gradient, from most to least deprived. 0.2ii Number of upper tier local authorities for which the local slope index of inequality in life expectancy (as defined in indicator 0.2iii) has decreased 0.2iii Slope index of inequality in life expectancy at birth within English local authorities, based on local deprivation deciles: the range in years of life expectancy across the social gradient within each local authority, from most to least deprived. 0.2iv The gap in years between overall life expectancy at birth in each English local authority and life expectancy at birth for England as a whole. 0.2v Slope index of inequality in healthy life expectancy at birth based on national deprivation deciles within England: the range in years of life expectancy across the social gradient, from most to least deprived. 0.2vi SlI in healthy life expectancy based within local authorities, based on deprivation within Middle Super Output Areas 0.2vi Slope index of inequality in life expectancy at birth within English region, based on regional deprivation deciles: the range in years of life expectancy across the social gradient within each local authority, from most to least deprived.

Wider determinants of health

1.011 Percentage of all dependent children under 20 in relative poverty (living in households where income is less than 60 per cent of median household income before housing costs) 1.01ii % of children in low income families (children living in families in receipt of out of work benefits or tax credits where their reported income is < 60% median income) for u-16s only 1.02i School Readiness: all children achieving a good level of development at the end of reception as a percentage of all eligible children. School Readiness: all children achieving a good level of development at the end of reception as a percentage of all eligible children by free school meal status School Readiness: Year 1 pupils achieving the expected level in the phonics screening check as a percentage of all eligible pupils

1.02ii School Readiness: the percentage of Year 1 pupils with free school meal status achieving the expected level in the phonics screening check 1.03 % of half days missed by pupils due to overall absence (incl. authorised and unauthorised absence) 1.04 Rate of 10-17 year olds receiving their first reprimand, warning or conviction per 100,000 population % of 16-18 year olds not in education, employment or training (NEET) 1.06i % of adults with a learning disability who are known to the council, who are recorded as living in their own home or with their family 1.06ii % of adults (age 18-69) who are receiving secondary mental health services on the Care Programme Approach recorded as living independently, with or without support. 1.07 People in prison who have a mental illness or a significant mental illness 1.08i % point gap in the employment rate between those with a long-term health condition and the overall employment rate 1.08ii % point gap in the employment rate between those with a learning disability and the overall employment rate 1.08iii The percentage point gap between the percentage of working age adults who are receiving secondary mental health services and who are on the Care Programme Approach recorded as being employed (aged 18 to 69) and the percentage of all respondents in the Labour Force Survey classed as employed (aged .08iv % of all respondents in the Labour Force Survey classed as employed (aged 16-64) 1.09i % of employees who had at least one day off due to sickness absence in the previous working week 1.09ii % of working days lost due to sickness absence in the previous working week 1.10 Rate of people KSI on the roads, all ages, per 100,000 resident population 1.11 Rate of domestic abuse incidents recorded by the police per 1,000 population 1.12i Age-standardised rate of emergency hospital admissions for violence per 100,000 population 1.12|| Crude rate of violence against the person offences per 1,000 population 1.12|| Crude rate of sexual offences per 1,000 population 1.12|| Crude rate of sexual offences per 1,000 population 1.12|| Crude rate of sexual offences per 1,000 population 1.12|| Crude rate of sexual offences per 1,000 population 1.12|| Crude rate of sexual offences per 1,000 population 1.12|| Crude rate of sexual offences per 1,000 population 1.12|| Crude rate of sexual offences per 1,000 population 1.12|| Crude rate of sexual offences per 1,000 population 1.12|| Crude rate of sexual offences per 1,000 population 1.12|| Crude rate of sexual offences per 1,000 population 1.12|| Crude rate of sexual offences per 1,000 population 1.12|| Crude rate of sexual offences per 1,000 population 1.12|| Crude rate of sexual offences per 1,000 population 1.12|| Crude rate of sexual offences per 1,000 population 1.12|| Crude rate of sexual offences per 1,000 population 1.12|| Crude rate of sexual offences per 1,000 population 1.12|| Crude rate of sexual offences per 1,000 population 1.12|| Crude rate of sexual offences per 1,000 population 1.12|| Crude rate of sexual offences per 1,000 population 1.12|| Crude rate of sexual offences per 1,000 population 1.12|| Crude rate of sexual offences per 1,000 population 1.12|| Crude rate of sexual offences per 1,000 population 1.12|| Crude rate of sexual offences per 1,000 population 1.12|| Crude rate of sexual offences per 1,000 population 1.12|| Crude rate of sexual offences per 1,000 population 1.12|| Crude rate of sexual offences per 1,000 population 1.12|| Crude rate of sexual offences per 1,000 population 1.12|| Crude rate of sexual offences per 1,000 population 1.12|| Crude rate of sexual offences per 1,000 population 1.12|| Crude rate of sexual offences per 1,000 population 1.12|| Crude rate of sexual offences per 1,000 population 1.12|| Crude rate of sexual offences per 1,000 population 1.12|| Crude rate of sexual offences per 1,000 population 1.12|| 1.131 % of offenders who re-offend from a rolling 12 month cohort 1.131 Average no. of re-offences committed per offender from a rolling 12 month cohort First time offenders - The number of first time entrants to the criminal justice system as a rate per 100,000 of the population 1.14 Rate of complaints per year per LA about noise per thousand population 1.14ii The percentage of the population exposed to road, rail and air transport noise of 65 dB(A) or more, LAeq,16h per local authority (16h is the period 0700 - 2300) according to the results of the strategic noise mapping carried out as required by the Environmental Noise (England) Regulations 2006, as 1.14iii The percentage of the population exposed to road, rail and air transport noise of 55 dB(A) or more, Lnight (LAeq,8h) per local authority (8h is the period 2300 - 0700) according to the results of the strategic noise mapping carried out as required by the Environmental Noise (England) Regulations 2006, as amended. Statutory homelessness - Eligible Homeless People Not In Priority need per 1,000 households 1.15i Households in temporary accommodation per 1,000 households % of people using outdoor space for exercise/health reasons 1.17 The percentage of households that experience fuel poverty based on the "Low income, high cost" 1.18i % of adult social care users who have as much social contact as they would like according to the Adult Social Care Users Survey 1.18ii The percentage of adult carers who have as much social contact at they would like according to the Personal Social Services Carers survey

Health improvement

2.01 % of all live births at term with low birth weight 2.02 % of all mothers who breastfeed their babies in the first 48hrs after delivery 2.02 % of all infants due a 6-8 week check that are totally or partially breastfed 2.03 % of women who smoke at time of delivery 2.04 Rate of conceptions per 1,000 females aged 15-17 2.04 Rate of conceptions per 1,000 females aged 13-15 2.05 Proportion of children aged 2-2½yrs offered ASQ-3 as part of the Healthy Child Programme or integrated review 2.06i% of children aged 4-5 classified as overweight or obese 2.06ii % of children aged 10-11 years classified as overweight or obese 2.07i Rate of hospital admissions caused by unintentional and deliberate injuries in children aged 0-14 years per 10,000 resident population 2.07i Rate of hospital admissions caused by unintentional and deliberate injuries in children aged 0-4 years per 10,000 resident population 2.07|| Rate of hospital admissions caused by unintentional and deliberate injuries in young people aged 15-24 per 10,000 resident population 2 .08| Average difficulties score for all looked after children aged 5-16 who have been in care for at least 12 months on 2.08ii Percentage of children aged 5-16 who have been in care for at least 12 months on 31st March whose score in the SDQ indicates cause for concern Smoking prevalence at age 15 - current smokers (WAY survey) 2.09ii Smoking prevalence at age 15 - regular smokers (WAY survey) 2.09iii Smoking prevalence at age 15 - occasional smokers (WAY survey) 2.09iv Smoking prevalence at age 15 years - regular smokers (SDD survey) 2.0 Smoking prevalence at age 15 years occasional smokers (SDD survey) 2.10ii Emergency Hospital Admissions for Intentional Self-Harm 2.11i Proportion of the adult population meeting the recommended '5-a-11ii Average number of portions of fruit consumed daily (adults) 2.11iii Average number of portions of vegetables consumed daily (adults) 2.11iv - Proportion of the population meeting the recommended "5-a-day" at age 15 2.11v - Average number of portions of fruit consumed daily at age 15 (WAY survey) 2.11vi – Average number of portions of vegetables consumed daily at age 15 (WAY survey) 2.12 Percentage of adults classified as overweight or obese of adults achieving at least 150 minutes of physical activity per week in accordance with UK Chief Medical Officer (CMO) recommended guidelines on physical activity. 2.13ii The percentage of adults classified as "inactive" 2.14 Smoking Prevalence in adults - current smokers (APS) 2.14 Smoking Prevalence in adult in routine and manual occupations - current smokers (APS) 2.15ii % of opiate drug users that left drug treatment successfully who do not re-present to treatment within 6 months 2.15ii % of nonopiate drug users that left treatment successfully who do not re-present to treatment within 6 months 2.15iii % of alcohol users that left drug treatment successfully who do not re-present to treatment within 6 months 2.15iv Deaths from drug misuse 2.16 Adults with substance misuse treatment need who successfully engage in community-% of alcohol users that left drug treatment successfully who do based structured treatment following release from prison 2.17 % of QOF-recorded cases of diabetes registered with GP practices aged 17+ alcohol-related conditions (narrow definition), all ages, directly age standardised rate per 100,000 population European standard population. malignancies of breast, prostate, colorectal, lung, bladder, kidney, ovary and uterus, non-Hodgkin lymphomas, and melanomas of skin, diagnosed at stage 1 or 2 % of eligible women screened adequately within the previous 3 years on 31st March 2.20ii % of eligible women screened adequately within the previous 3.5 or 5.5 years (according to age) on 31st March 2.20iii % of people eligible for bowel screening who were screened 2.20iv Abdominal aortic aneurysm screening Diabetic eye screening - uptake of routine digital screening event 2.20vii % of pregnant women eligible for infectious disease screening who are tested for HIV % of pregnant women eligible for infectious disease screening who are tested for syphilis 2.20ix % of pregnant women eligible for sed for Hepatitis B 2.20x % of pregnant women eligible for antenatal sickle cell and thalassaemia screening who were screened 2 % of pregnant women eligible for infectious disease screening who newborn blood spot screening who were screened 2.2 🖟 % of babies eligible for newborn hearing screening for whom screening process is complete within 4 weeks % of babies eligible for newborn physical clinical examination screening who were tested within 72 hours of birth 2.22iii Cumulative percentage of the eligible population aged 40-74 offered an NHS Health Check in the five year period 2013/14 - 2017/18 2.22iv Cumulative percentage of eligible population aged 40-74 offered an NHS Health Check in the five year period 2013/14 - 2017/18 2.22iv Cumulative percentage of eligible population aged 40-74 who received an NHS Health Check in the five year period 2013/14 - 2017/18

2.23i % of respondents scoring 0-4 to the question "Overall, how satisfied are you with your life nowadays?" 2.23ii % of respondents scoring 0-4 to the question "Overall, to what extent do you feel the things you do in your life are worthwhile?" 2.23ii % of respondents scoring 0-4 to the question "Overall, how happy did you feel yesterday?" 2.23iv % of respondents scoring 6-10 to the question "Overall, how anxious did you feel yesterday?" 2.24i Age-sex standardised rate of emergency hospital admissions for injuries due to falls in persons aged 65+ per 100,000 population 2.24ii Age-sex standardised rate of emergency hospital admissions for injuries due to falls in persons aged 80+ per 100,000 population

Health protection

3.01 Fraction of all-cause adult mortality attributable to anthropogenic particulate air pollution (measured as fine particulate matter, PM2.5) 3.02 Rate of chlamydia detection per 100,000 young people aged 15 to 24 3.03i % of eligible children who received 3 doses of Hepatitis B vaccine at any time by their 1st birthday 3.03ii % of eligible children who received 3 doses of Dtap / IPV / Hib vaccine at any time by their 1st birthday 3.03ii % of eligible children who received 3 doses of Dtap / IPV / Hib vaccine at any time by their 2nd birthday 3.03iv % of eligible children who have received the completed course of Men C vaccine by their 1st birthday 3.03v % of eligible children who have received one booster dose of Hib/Men C vaccine by their 2nd birthday 3.03vi % of eligible children who have received one booster dose of Hib/Men C vaccine by their 5th birthday 3.03viii % of eligible children who have received one booster dose of Hib/Men C vaccine by their 2nd birthday 3.03ix % of eligible children who have received one dose of MMR vaccine on or after their 1st birthday and anytime up to their 2nd birthday 3.03ix % of eligible children who have received one dose of MMR vaccine on or after their 1st birthday and at any time up to their 5th birthday 3.03x % of eligible children who have received two doses of MMR vaccine on or after their 1st birthday and at any time up to their 5th birthday 3.03x % of eligible children who have received two doses of MMR vaccine on or after their 1st birthday and at any time up to their 5th birthday 3.03x % of eligible children who have received two doses of MMR vaccine on or after their 1st birthday and at any time up to their 5th birthday 3.03x % of eligible children who have received two doses of MMR vaccine on or after their 1st birthday and at any time up to their 5th birthday 3.03x % of eligible children who have received the following their 1st birthday 3.03x % of eligible children who have received the PPV vaccine 3.03xiv % of eligible adults aged 65+ who have received the f

Healthcare and premature mortality

4.01 Infant mortality - Rate of deaths in infants aged under 1 year per 1,000 live births 4.02 Percentage of 5 year olds who are free from obvious dental decay 4.03 Age-standardised rate of mortality from causes considered preventable per 100,000 population 4.04i Age-standardised rate of mortality from all cardiovascular diseases (including heart disease and stroke) in persons less than 75 years of age per 100,000 population 4.04ii Age-standardised rate of mortality considered preventable from all cardiovascular diseases (incl. heart disease and stroke) in those aged 4.05i Age-standardised rate of mortality from all cancers in persons less than 75 years of age per 100,000 population 4.05ii Age-standardised rate of mortality considered preventable from all cancers in those aged 4.06i Age-standardised rate of mortality from liver disease in persons less than 75 years of age per 100,000 population 4.06ii Age-standardised rate of mortality considered preventable from liver disease in those aged 4.07i Age-standardised rate of mortality from respiratory disease in persons less than 75 years per 100,000 population 4.07ii Age-standardised rate of mortality considered preventable from respiratory disease in those aged 4.08 Age-standardised rate of mortality from communicable diseases per 100,000 population 4.09 Excess under 75 mortality rate in adults with serious mental illness 4.09ii The percentage of the population in contact with Secondary Mental Health Services 4.10 Age-standardised mortality rate from suicide and injury of undetermined intent per 100,000 population 4.11 Indirectly standardised % of emergency admissions to any hospital within 30 days of the previous discharge from hospital 4.12i Crude rate of sight loss due to age related macular degeneration (AMD) in those aged 65+ per 100,000 population Crude rate of sight loss due to glaucoma in those aged 40+ per 100,000 population 4.12iii Crude rate of sight loss due to diabetic eye disease in those aged 12+ per 100,000 population 4.12 V Crude rate of sight loss certifications per 100,000 population 4.13 Average health status score for adults aged 65 and over 4.14 Age-sex standardised rate of emergency admissions for fractured neck of femur in those aged 65+ per 100,000 population 4.14ii Age-sex standardised rate of emergency admissions for fractured neck of femur in those aged 65-79 per 100,000 population 4.14iii Age-sex standardised rate of emergency admissions for fractured neck of femur in those aged 80+ per 100,000 population 4.15i Excess winter deaths index (single year, all ages) 4.15ii Excess winter deaths index (single year, age 85+) 4.15iii Excess winter deaths index (3 years, all ages) 4.15iv Excess winter deaths index (3 years, age 85+) 4.16 Estimated diagnosis rate for people with dementia

Supporting information

Supporting InformationIndex of multiple deprivation score (IMD 2010) Index of multiple deprivation score (IMD 2015) The percentage of the population aged The percentage of the population classified as from Black and Minority Ethnic (BME) groups

E06000002 Middlesbrough
Crown Copyright © 2012-15. Updated 1 November 2016